

TRANCHE TARGET REDUCTIONS

The Auction Manager may reduce the volume in the BGS-RSCP Auction, the BGS-CIEP Auction, or both to ensure the competitiveness of the auction(s) concerned. The Auction Manager, in doing so, follows confidential guidelines approved by the New Jersey Board of Public Utilities.

Table 1 below provides the distribution of the volume in the BGS-RSCP Auction among the EDCs should there be a reduction in the volume in the BGS-RSCP Auction. Table 2 below provides the distribution of the volume in the BGS-CIEP Auction among the EDCs should there be a reduction in the volume in the BGS-CIEP Auction.

Table 1. BGS-RSCP Tranche Targets Following Volume Reduction

RSCP Volume	Tranche targets for each product			
	PSE&G	JCP&L	ACE	RECO
53	28	15	8	2
52	27	15	8	2
51	27	14	8	2
50	26	14	8	2
49	25	14	8	2
48	25	14	7	2
47	25	13	7	2
46	24	13	7	2
45	23	13	7	2
44	23	12	7	2
43	22	12	7	2
42	21	12	7	2
41	21	12	6	2
40	21	11	6	2
39	20	11	6	2
38	19	11	6	2
37	19	10	6	2
36	18	10	6	2
35	18	10	5	2
34	17	10	5	2
33	17	9	5	2
32	16	9	5	2
31	15	9	5	2
30	15	8	5	2
29	15	8	4	2
28	14	8	4	2
27	14	8	4	1
26	14	7	4	1
25	13	7	4	1
24	12	7	4	1
23	12	6	4	1
22	11	6	4	1
21	11	6	3	1
20	10	6	3	1
19	10	5	3	1
18	9	5	3	1
17	8	5	3	1
16	8	4	3	1
15	8	4	2	1
14	7	4	2	1
13	6	4	2	1
12	6	3	2	1
11	5	3	2	1
10	4	3	2	1

Table 2. BGS-CIEP Tranche Targets Following Volume Reduction

CIEP Volume	Tranche targets for each product			
	PSE&G	JCP&L	ACE	RECO
41	24	12	4	1
40	23	12	4	1
39	22	12	4	1
38	22	11	4	1
37	21	11	4	1
36	20	11	4	1
35	20	10	4	1
34	19	10	4	1
33	18	10	4	1
32	18	10	3	1
31	18	9	3	1
30	17	9	3	1
29	17	8	3	1
28	16	8	3	1
27	15	8	3	1
26	15	7	3	1
25	14	7	3	1
24	13	7	3	1
23	12	7	3	1
22	12	6	3	1
21	12	6	2	1
20	11	6	2	1
19	11	5	2	1
18	10	5	2	1
17	9	5	2	1
16	9	4	2	1
15	8	4	2	1
14	7	4	2	1
13	7	4	1	1
12	7	3	1	1
11	6	3	1	1
10	5	3	1	1