

*James A. Meehan, Esq.*  
*(610) 921-6783*  
*(330) 384-3875 (Fax)*

December 4, 2023

**VIA ELECTRONIC MAIL ONLY**

Sherri L. Golden, Secretary  
New Jersey Board of Public Utilities  
44 South Clinton Avenue  
Trenton, NJ 08625-0350  
Board.secretary@bpu.nj.gov

Re: In the Matter of the Provision of Basic Generation Service (BGS) for the Period  
Beginning June 1, 2024  
Docket No. ER23030124


Dear Secretary Golden:

On the behalf Jersey Central Power & Light Company (“JCP&L” or the “Company”), attached for filing with the Board of Public Utilities (“Board”) is JCP&L’s Company Specific Addendum (“CSA”) Compliance Filing in the above-referenced matter. JCP&L’s CSA Compliance Filing is being made in response to the Board’s Order dated November 17, 2023 regarding the electric distribution companies’ (“EDCs”) joint proposal for an auction process for the procurement of supply for the provision of basic generation service (“BGS”) for the period beginning June 1, 2024.

JCP&L’s CSA Compliance Filing supplies JCP&L-specific information relating to such matters as committed supply, contingency plans, BGS accounting and cost recovery, as well as proposed tariff sheets.

In accordance with the Board's March 19, 2020 Order in Docket No. EO20030254, JCP&L is providing this filing by electronic mail only. No physical copies will follow. Please kindly confirm your receipt and acceptance of this filing by electronic mail at your earliest convenience.

Respectfully submitted,

A handwritten signature in black ink that reads "James Austin Meehan". The signature is written in a cursive style and is positioned above the printed name.

James Austin Meehan  
Counsel for Jersey Central Power & Light Company

cc: Service List (via electronic mail only)



**TABLE OF CONTENTS**

**I. USE OF COMMITTED SUPPLY AND CONTINGENCY PLANS .....2**

    A. COMMITTED SUPPLY .....2

    B. CONTINGENCY PLANS.....3

**II. ACCOUNTING AND COST RECOVERY .....5**

    A. BGS-RSCP AND BGS-CIEP RECONCILIATION CHARGES (BGS-RSCPRC, BGS-CIEPRC) .....6

    B. ACCOUNTING FOR THE NGC DEFERRED BALANCE.....10

**III. DESCRIPTION OF BGS TARIFF SHEETS AND OTHER TARIFF CHANGES.....10**

    A. GENERAL .....10

    B. BGS-RSCP (RIDER BGS-RSCP).....11

        (1) *BGS-RSCP Energy Charges*.....11

        (2) *BGS-RSCP Transmission Charges*.....14

        (3) *BGS-RSCP Reconciliation Charge*.....15

    C. BGS-CIEP (RIDER BGS-CIEP).....15

        (1) *BGS-CIEP Energy Charges*.....16

        (2) *BGS-CIEP Capacity Charge* .....17

        (3) *BGS-CIEP Transmission Charges*.....17

        (4) *BGS-CIEP Reconciliation Charge* .....18

    D. CIEP STANDBY FEE (RIDER CIEP - STANDBY FEE (FORMERLY RIDER DSSAC)) .....18

**IV. DESCRIPTION OF BGS PRICING SPREADSHEET .....18**

**V. DIRECT CURRENT FAST CHARGING (“DCFC”) BGS PROPOSAL.....26**

**V. CONCLUSION.....27**

---

**I. Use of Committed Supply and Contingency Plans****A. Committed Supply**

“Committed Supply,” means power supplies to which JCP&L has an existing physical or financial entitlement. This will include specifically NUG contracts, including any restructured replacement power contracts, customer generation under the operational control of JCP&L and generation assets still owned by JCP&L. JCP&L will retain the right to negotiate changes in all NUG contracts and to make changes with respect to the operational control over dispatchable NUGs.

In prior auctions, JCP&L provided renewable attributes from non-utility generation contracts on a pro-rata basis to BGS-RSCP Suppliers. Since JCP&L’s last non-utility generation contract with renewable attributes was terminated in February 2017, no renewable attributes will be available going forward.

As previously directed by the New Jersey Board of Public Utilities (“Board” or “BPU”) in its Order dated December 11, 2001 (Docket No. EX01050303), except where retained to meet requirements of the Contingency Plan, JCP&L will continue to sell all of the remaining energy, capacity and ancillary services associated with its Committed Supply into the PJM Spot Market unless and until the Board determines that a different sales protocol is appropriate. All net revenues from these sales will be credited to the NGC, provided that, in the case of JCP&L-owned generation assets, the all-in costs of those assets will continue to be recovered through BGS charges or JCP&L’s NGC Deferred Balance.

In the event that JCP&L is required to invoke its Contingency Plan, Committed Supply may be used to offset requirements associated with the Contingency Plan.

---

BGS-RSCP and CIEP Suppliers will be responsible for obtaining and providing related verification information to JCP&L for the minimum Solar, Class I and Class II percentages or amounts required in the RPS associated with the tranches they serve, subject to the foregoing limitations, to each BGS-RSCP and BGS-CIEP Supplier's tranches using the BGS-RSCP and BGS-CIEP Supplier Responsibility Share. Such verification will be provided to the Company pursuant to the procedures and timeframes set forth in the BGS Supplier Master Agreements.

#### B. Contingency Plans

While not every contingency can be anticipated, JCP&L has identified three possible occurrences for which a Contingency Plan has been developed:

- (a) JCP&L receives an insufficient number of bids to provide for a fully subscribed Auction Volume, either for the BGS-RSCP auction or the BGS-CIEP auction;
- (b) A default by one of the winning bidders prior to June 1, 2024;
- (c) A default during the June 1, 2024 – May 31, 2027 supply period.

##### **(a) Insufficient Number of Bids in Auction**

In order for the Auction Process to achieve the best price for customers, the degree of competition in the auction must be sufficient. To ensure a sufficient degree of competition, the target volume of BGS-RSCP and BGS-CIEP Load purchased at each auction will be decided after the round 1 bids are received. Provided that there are sufficient bids at the starting prices, the auctions will be held for 100% of BGS-CIEP Load with yearly rolling procurements for the BGS-RSCP Load, where approximately one-third of the required supply is contracted for the next three years.

---

It is possible that the number of initial bids will not result in a competitive auction for 100% of the BGS-CIEP Load and the approximately one-third of the yearly BGS-RSCP Load. This determination will be made by the Auction Manager in consultation with the State's electric distribution companies, BPU Staff and the Board Advisor.

In the event that the Auction volume is reduced to less than 100% of BGS-RSCP or BGS-CIEP Load, JCP&L will implement a Contingency Plan for the remaining tranches. Under that plan, JCP&L will purchase necessary services for the remaining tranches through PJM-administered markets. JCP&L's procurements will be made at prevailing Day-ahead JCP&L zonal spot market prices, and, unless instructed otherwise by the BPU, JCP&L will not enter into hedging transactions to attempt to mitigate the associated price or volume risks to serve these tranches.

This Contingency Plan will alert bidders that in order to secure BGS-RSCP or BGS-CIEP prices from New Jersey BGS customers for the bidders' supply, it will be necessary to bid in the auctions. Failure to bid will mean that the BGS market faced by suppliers will be a spot market with volatility and related risks.

Since the Contingency Plan calls for the purchase of BGS supply in PJM-administered markets, it is considered a strong feature of the auction proposal because it provides bidders a strong incentive to participate in the Auction Process. If bidders were to believe that a less than fully subscribed auction would lead to a negotiation or a secondary market in which JCP&L, on behalf of its customers, would seek to acquire seasonally differentiated-priced supplies, then the incentive to participate in the auction and the incentive for bidders to present their best offer in the auction would be diminished.

**(b) Defaults prior to June 1, 2024**

If a winning bidder defaults prior to the beginning of the BGS service, then, at JCP&L's option, the open tranches may be offered to the other winning bidders or these tranches may be bid out as quickly as possible or procured in PJM-administered markets. JCP&L's procurements in PJM-administered markets will be made at prevailing Day-ahead JCP&L zonal spot market prices, and, unless instructed otherwise by the BPU, JCP&L will not enter into hedging transactions to attempt to mitigate the associated price or volume risks to serve these tranches. Additional costs incurred by JCP&L in implementing this Contingency Plan will be assessed against the defaulting supplier's credit security, to the extent available.

**(c) Defaults during the Supply Period**

If a default occurs during the June 1, 2024 through May 31, 2027 period, at JCP&L's option, the available tranches may be offered to other winning bidders or bid out or procured in PJM-administered markets. JCP&L's procurements in PJM-administered markets will be made at prevailing Day-ahead JCP&L zonal spot market prices, and, unless instructed otherwise by the BPU, JCP&L will not enter into hedging transactions to attempt to mitigate the associated price or volume risks to serve these tranches. Additional costs incurred by JCP&L in implementing this Contingency Plan will be assessed against the defaulting supplier's credit security, to the extent available.

**II. ACCOUNTING AND COST RECOVERY**

The accounting and cost recovery that JCP&L proposes for its BGS is summarized in this section. These provisions are intended to be applicable to JCP&L only. Each EDC will provide individual BGS cost recovery proposals.



---

A. BGS-RSCP and BGS-CIEP Reconciliation Charges (BGS-RSCPRC, BGS-CIEPRC)

JCP&L's BGS accounting will account for BGS-RSCP revenues and BGS-CIEP revenues individually as follows:

1. BGS-RSCP and BGS-CIEP revenues will be tracked using established accounting procedures and recorded separately as BGS-RSCP revenue and BGS-CIEP revenue.
2. As previously established for JCP&L, uncollectible revenues are recovered through a component of JCP&L's Societal Benefits Charge.
3. Revenues related to the Board-approved Transmission and Transmission related Charges (e.g., TEC), as set forth in applicable Supplier Master Agreements (SMAs) and any amendments or supplements thereto, will be tracked separately and recorded using established accounting procedures.

JCP&L's BGS accounting will account for BGS-RSCP and BGS-CIEP costs individually as the sum of the following:

1. Payments made to winning BGS bidders for the provision of BGS-RSCP or BGS-CIEP service.
2. Any administrative costs associated with the provision of BGS-RSCP and BGS-CIEP service.
  - a. Administrative costs are defined as commonly-incurred or directly-incurred. Commonly-incurred costs are costs shared among all of the New Jersey Electric Distribution Companies (the "EDCs"). Directly-incurred costs are costs specifically incurred by each EDC, individually.

Commonly-incurred costs include, but are not limited to, the following:

- preparing and conducting the annual auction, which includes all pre-auction development work, developing and printing materials, developing and maintaining the BGS auction website, conducting information sessions for prospective bidders, as well as other consulting services provided by the Auction Manager
- oversight of the auction process on behalf of the Board, as performed by the Board's consultant

- rent and maintenance of office space in New Jersey for the auction manager
- outside counsel legal costs associated with the prosecution and/or defense of BGS patent claims
- facility costs associated with viewing the annual auction in real time, which includes, but are not limited to, costs for physical space and equipment/media connections

Directly-incurred costs (for JCP&L) include, but are not limited to, the following:

- advertising
- court reporter fees

b. The commonly-incurred cost estimates for each BGS Auction cycle are paid for by the winning bidders of the auction at the start of each Energy Year through the Tranche Fee. The difference between the estimated commonly-incurred costs and the actual commonly-incurred costs and all the directly-incurred costs are paid through the BGS Reconciliation charges.

As noted above, one commonly-incurred cost has been the costs associated with the rent and maintenance of the office space in New Jersey for the Auction Manager to conduct the annual BGS Auction. As noted in the joint EDC comments, in their November 2021 Board Order, the Board authorized PSE&G to sublet the BGS Office in Newark. PSE&G (on behalf of the EDCs) subsequently did sublet the office, and the revenues related to the same serve to offset other commonly-incurred EDC costs.

Additionally, in response to a recommendation included in the BGS Administrative Expense Audit (BPU Docket No. EA17010004), JCP&L has evaluated its administrative costs and identified additional directly incurred costs that are common across the EDCs and related to the provision of BGS service. The Company plans to begin to account for such costs in a manner similar to other BGS administrative costs (*i.e.*, through the reconciliation charge(s)), at such time as said costs are no longer recovered through base rates. In JCP&L's 2023 Base Rate filing that is currently pending with the BPU, the Company made an adjustment to exclude the total test year payroll cost related to providing BGS services. Upon conclusion of this rate case, the Company will defer these expenses for recovery in the quarterly BGS reconciliation filings.

3. The cost of any procurement of necessary services, including capacity, energy, ancillary services, transmission, RPS compliance and other expenses related to the Contingency Plan, less payments, if any, recovered from defaulting suppliers or from defaulting suppliers' credit security.

4. Payments to PJM for Transmission and Transmission related Charges, as set forth in applicable SMAs and any amendments and/or supplements thereto, (e.g., TEC) will be tracked separately and recorded using established accounting procedures.
5. Cost for implementing and administrating BGS DCFC program proposed in this filing, as directed by the Board Order Docket No. ER22030127, dated November 9, 2022.

BGS-RSCP and BGS-CIEP rates will be subject to deferred accounting since there will be differences between the BGS revenue and costs (as defined above). Adjustment-type charges are necessary in order to balance out the difference between (1)(a) the amount paid to the BGS-RSCP and BGS-CIEP suppliers for BGS-RSCP and BGS-CIEP supply, (b) the total administrative costs, net of amounts received from BGS-RSCP and BGS-CIEP suppliers, (c) the total Contingency Plan costs, net of recoveries from defaulting bidders, and (d) the payments to PJM for Transmission and Transmission related Charges, and (e) the cost for BGS DCFC proposal, and (2) the total revenue received from customers for BGS-RSCP and BGS-CIEP services, respectively.

A BGS deferral/credit will be determined individually for the BGS-RSCP and BGS-CIEP rates as the difference between recorded BGS-RSCP or BGS-CIEP revenue and the total BGS-RSCP or BGS-CIEP costs. The individual BGS deferrals will be accounted for in the following manner:

1. If individual BGS costs, as defined above, are higher than individual BGS recorded revenue, then the difference will be charged on a monthly basis to a reconciliation account to be reconciled and recovered from customers, with interest, on a quarterly basis through the BGS-RSCPRC and/or the BGS-CIEPRC;
2. If individual BGS costs, as defined above, are lower than individual BGS recorded revenue, then the difference will be credited on a monthly basis to a reconciliation account to be reconciled and returned to customers, with interest, on a quarterly basis through the BGS-RSCPRC and/or BGS-CIEPRC.

Reconciliation Charge rates will be calculated separately each quarter, with interest, for BGS-RSCP and BGS-CIEP, on a cents/kWh basis, and the respective rates applied to all BGS-RSCP

---

and BGS-CIEP kWh billed. Interest will be calculated monthly at the interest rate equal to the average monthly rate actually incurred on the Company's short-term debt (debt maturing in less than one year), or the rate on equivalent temporary cash investments if the Company has no short-term debt outstanding. These charges may be combined with the seasonally differentiated BGS-RSCP rates and BGS-CIEP hourly charges for billing, although they will be published in separate BGS-RSCPRC and BGS-CIEPRC tariff sheets that will be revised quarterly to reflect adjustments made based on actual costs.

Consistent with the Board-approved mechanisms for all prior BGS Post Transition Years and the related quarterly reconciliations, JCP&L will file formula-based BGS-RSCPRC and BGS-CIEPRC rates with the Board at least 30 days in advance of the effective dates. The filed rates will become final and effective 30 days after filing, absent a determination of manifest error by the Board. The quarterly reconciliation effective dates will be March 1, June 1, September 1 and December 1 of each year. For billing reasons, the June 1 effective date for reconciliation is aligned with the beginning of the BGS annual supply period (*i.e.*, June 1, 2024). The subsequent formula-based reconciliation will continue every three months thereafter.

In connection with this filing, JCP&L is requesting the Board to make the following determinations with respect to BGS accounting and cost recovery:

1. that JCP&L's proposed accounting for BGS is approved by the Board for purposes of accounting and BGS cost recovery; and
2. that the proposed BGS Contingency Plan is approved by the Board and there will exist a presumption of reasonableness and prudence with respect to (i) the BGS Auction Plan method, (ii) the costs incurred for BGS supply under the Auction Plan, and (iii) the related Contingency Plan.

B. Accounting for the NGC Deferred Balance

The NGC Deferred Balance will be credited with net revenues from the sale of Committed Supply energy, capacity and ancillary services in the wholesale market.

The NGC Deferred Balance will be charged with all costs associated with Committed Supply, including NUGs. The NGC Deferred Balance will also be charged for the costs associated with any RPS compliance requirements resulting from NUG purchases.

III. DESCRIPTION OF BGS TARIFF SHEETS AND OTHER TARIFF CHANGES

A. General

As described in the generic section of the EDCs' 2024 BGS Proposal, two different methods will be utilized for the pricing of BGS default supply service to customers – seasonally differentiated energy pricing and variable hourly energy pricing. For JCP&L, the seasonally differentiated energy pricing will be termed “Basic Generation Service – Residential Small Commercial Pricing”, or BGS-RSCP, and the hourly energy pricing service will be termed “Basic Generation Service – Commercial Industrial Energy Pricing”, or BGS-CIEP.

The BGS-RSCP default service is proposed to be available to residential and small and medium sized business customers, specifically those served on Service Classifications RS, RT, RGT, GS, GST, OL, SVL, MVL, ISL and LED, except as noted below. This comprises the majority of the number of customers and approximately 84% of the total load on the JCP&L electric system.

The BGS-CIEP default service will be available to the larger business customers, specifically those served on Service Classifications GP – General Service Primary and GT- General Service Transmission, and as noted below. Approximately 912 customers, excluding GS and GST

---

customers as noted below, would thus be eligible to receive BGS-CIEP default service, which would comprise about 16% of the total load on the JCP&L electric system.

**B. BGS-RSCP (Rider BGS-RSCP)**

The tariff sheet for the Basic Generation Service – Residential Small Commercial Pricing (BGS-RSCP) default supply service is included in Attachment 1. The BGS-RSCP default service is proposed to be available to customers served on Service Classification RS, RT, RGT, GS, GST, OL, SVL, MVL, ISL and LED, except for GS and GST customers with peak load shares of 500 kW or greater as of November 1, 2023, and those GS and GST customers that have opted to take BGS-CIEP default service for the 2024/2025 BGS Supply Period (June 1, 2024 through May 31, 2025) as of January 3, 2024.

On any meter reading date, and with prior requisite notice, a customer taking supply service under BGS-RSCP may switch to third-party supply service, and a customer taking third-party supply service may switch to BGS-RSCP supply service.

As indicated on the proposed tariff sheet, the BGS-RSCP default service is made up of three components: BGS-RSCP Energy Charges, BGS-RSCP Transmission Charges, and the BGS-RSCP Reconciliation Charge.

**(1) BGS-RSCP Energy Charges**

The BGS-RSCP Energy Charges applicable to Service Classifications RS, RT, RGT, GS, GST, OL, SVL, MVL, ISL and LED, except for certain GS and GST customers as noted above, include the costs related to energy, ancillary services and generation capacity and administrative-related

---

costs. This calculation is consistent with the current, approved methodology of recovering all electric supply service costs in the kWh charges for these rate classes.

The specific costs that will be used to calculate the BGS-RSCP Energy Charges will be calculated as the “winning bid price” for the JCP&L zone times the appropriate Ratio of BGS Unit Costs (excluding Transmission) at customer to All-In Average Cost (excluding Transmission) at transmission nodes, as shown on Table #C7 of the Composite Cost Allocation of the 2024 BGS Auction Cost and Bid Factor Tables, included in Attachment 2. “Winning bid price” is defined as the tranche weighted average of the winning bid prices adjusted for the seasonal payment factors. For the RS rate class, the summer energy charges are further modified by the blocking differential found in Table #C7 of the Composite Cost Allocation of the 2024 BGS Auction Cost and Bid Factor Tables.

With the prior postponement of the 2024/2025 and 2025/2026 Delivery Years PJM Base Residual Auctions (“BRA”) for the Reliability Pricing Model (“RPM”) products for the 2024/2025 and 2025/2026 delivery years, the EDCs proposed and the Board adopted the use of Capacity Proxy Prices to provide bidders in the 2022 and 2023 BGS-RSCP auctions with some certainty regarding capacity prices for the BGS-RSCP load in the 2024/2025 and 2025/2026 delivery years. The Capacity Proxy Price for JCP&L for the 2022 BGS Auctions was \$87.98 for the 2024/2025 delivery year. For the 2023 BGS-RSCP auction, JCP&L proposed and the Board approved a Capacity Proxy Price of \$66.38 for the 2024/2025 delivery year and a Capacity Proxy Price of \$44.63 for the 2025/2026 delivery year. Similarly, in the instant filing, the EDCs proposed, and the Board approved, the use Capacity Proxy Prices to provide bidders in the 2024 BGS-RSCP auction with some certainty regarding capacity prices for the BGS-RSCP load in the 2025/2026 and 2026/2027 delivery years. A Capacity Proxy Price of \$47.46 per MW-Day and a Capacity

---

Proxy Price of \$49.05 per MW-Day have been used in place of the prices paid for Capacity for 2025/2026 and 2026/2027 delivery years, respectfully.

For Energy Year (EY) 2026, payments to the BGS-RSCP suppliers that have executed the Supplement A to the BGS-RSCP SMA, if the BRA for the 2025/2026 Delivery Year has not occurred at least five (5) business days prior to the BGS-RSCP Auction, will be adjusted for the difference between the “Zonal Capacity Price”, which is the price paid by BGS-RSCP suppliers for Capacity in the Company’s PJM Zone, as may be determined under the RPM or its successor or otherwise and the 2025/2026 Capacity Proxy Price (\$47.46 per MW-Day) for the 2025/2026 BGS Supply Period (the “Capacity Price True-up”). Similarly, for EY 2027, payments to the BGS-RSCP suppliers that have executed the Supplement B to the BGS-RSCP SMA, if the BRA for the 2026/2027 Delivery Year has not occurred at least five (5) business days prior to the BGS-RSCP Auction, will be adjusted for capacity prices difference between the “Zonal Capacity Price”, which is the price paid by the BGS-RSCP Suppliers for Capacity in the Company’s PJM Zone, as may be determined under the RPM or its successor or otherwise in the 2026/2027 delivery year and the 2026/2027 Capacity Proxy Price (\$49.05 per MW-Day). BGS-RSCP Energy Charges for the 2025/2026 and 2026/2027 BGS Supply Period will also be adjusted to reflect the impact of such Capacity Price Adjustments for payments made pursuant to the Supplements. Attachment 3, Table A, Page 2, shows the Development of Capacity Proxy Price True Up and the resulting “Winning bid price” for the 2025/2026 BGS Supply Period. Attachment 3, Table A, Page 3, shows the Development of Capacity Proxy Price True Up and the resulting “Winning bid price” for the 2026/2027 BGS Supply Period for illustrative purposes.

For the 2024/2025 BGS Supply Period, the SMA Supplements signed by BGS Suppliers in February 2022 and February 2023 are still in effect for approximately two-thirds of the load.



---

Payments to suppliers that executed the Supplement to the SMA approved by the Board on November 17, 2021 and November 9, 2022 will be adjusted for the price difference between the price paid by BGS-RSCP Suppliers for Capacity in the Company's PJM Zone and the Capacity Proxy Price for the 2024/2025 Delivery Year. Upon the conclusion of the final incremental RPM auction, or the RPM's successor or otherwise, the price paid by BGS-RSCP Suppliers for Capacity in the Company's PJM Zone will be known. JCP&L will file new tariff sheets reflecting the impact of the Supplements. The rate design spreadsheets include the formulas that will be used to reflect the impact of payments made pursuant to the Supplements executed by BGS Suppliers in February 2022 and February 2023. The value (\$54.50 per MW-day) of the recently concluded BRA made available in early 2023 is used as an approximation for the price paid by BGS-RSCP Suppliers for Capacity in the Company's PJM Zone for 2024/2025 Delivery Year, as shown in Attachment 3, Table A, Page 1.

(2) BGS-RSCP Transmission Charges

BGS-RSCP Transmission Charges will be based on such applicable rate schedules on file with and approved by the Board as may be in effect from time to time.

JCP&L will file with the BPU to change the transmission charges to customers as the Federal Energy Regulatory Commission (the "FERC") approves changes in the Network Integration Transmission Service charges for the JCP&L zone in the PJM Open Access Transmission Tariff (the "PJM OATT"), or the FERC approves other network transmission-related charges in the PJM OATT at a minimum of twice per year for rates to become effective January 1 and June 1. To the extent that there is a change to the payments required by PJM for transmission, either as a result of a change in the firm transmission rate or as a result of a cost reallocation, the EDCs may submit

---

an additional filing to the Board to change the transmission charge paid by BGS customers. JCP&L will review and verify the basis for any BGS transmission charge adjustment, file supporting documentation from the PJM OATT, and any rate translation spreadsheets used.

(3) BGS-RSCP Reconciliation Charge

Implementation of the BGS-RSCP Reconciliation Charge for the BGS-RSCP default service is explained in Section II - Accounting and Cost Recovery, above.

C. BGS-CIEP (Rider BGS-CIEP)

The tariff sheet for the Basic Generation Service – Commercial Industrial Energy Pricing (BGS-CIEP) is included in Attachment 1. The BGS-CIEP default service will be the only default service for customers served on Service Classifications GP – General Service Primary and GT – General Service Transmission and for customers served on Service Classifications GS – General Service Secondary and GST – General Service Secondary Time-of-Day customers with peak load shares of 500 kW or greater as of November 1, 2023, those GS and GST customers that have opted to take BGS-CIEP default service for the 2024/2025 BGS Supply Period (June 1, 2024 through May 31, 2025) as of January 3, 2024, and those GS and GST customers that previously opted to take BGS-CIEP default service and do not notify the Company, by January 3, 2024, that they opt to return to BGS-RSCP default service for the 2024/2025 BGS Supply Period (June 1, 2024 through May 31, 2025).

---

JCP&L will identify all GS and GST customers with loads of 500 kW or greater based on the individual customer's share of the capacity peak load assigned to the JCP&L Transmission Zone by PJM, as in effect on November 1, 2023, adjusted for billing anomalies.

All GS and GST customers (with the exception of non-metered accounts) may "opt in" to BGS-CIEP, effective June 1, 2024, provided that they notify the Company no later than January 3, 2024. The Company will post a notice on its website informing these customers that they may voluntarily opt-in to BGS-CIEP, along with a toll free number, printable enrollment form or web address to use to opt in.

All customers voluntarily requesting to be billed under BGS-CIEP will be required to pay the metering and communications costs to accommodate BGS-CIEP billing until completion of the AMI deployment. In addition, any GS customer with special provision (d) or (e) for restricted water heating service ("Restricted Off-Peak Water Heating Service" or "Restricted Controlled Water Heating Service") who opts to take BGS-CIEP will no longer qualify for such special provisions effective June 1, 2024.

The rates for BGS-CIEP are comprised of several segments: BGS-CIEP Energy Charges, a BGS-CIEP Capacity Charge, BGS-CIEP Transmission Charges and the BGS-CIEP Reconciliation Charge.

(1) BGS-CIEP Energy Charges

The primary component of this charge will be the actual real time PJM load weighted average Residual Metered Aggregate Locational Marginal Price ("LMP") of energy for the JCP&L Transmission Zone plus the ancillary service costs (including PJM Administrative Costs). This

---

sum will then be adjusted for losses for service at the various voltage levels to which this service is applicable (such losses will be updated to reflect actual PJM marginal loss). The ancillary service costs will be set at \$0.006 per kWh for all monthly usage.

(2) BGS-CIEP Capacity Charge

This charge is designed to recover the costs associated with generation capacity for customers served under Service Classifications GP and GT, GS and GST customers that have a peak load share of 500 kW or greater as of November 1, 2023, and GS and GST customers that have opted in no later than January 3, 2024. The BGS-CIEP Capacity Charge is expressed on a per kW of generation capacity obligation, in terms of \$/kW-day, to be applied to the customer's share of capacity peak load assigned to the JCP&L Transmission Zone by PJM, as adjusted by PJM assigned capacity related factors. The capacity charge will be determined in the BGS-CIEP Auction Process.

(3) BGS-CIEP Transmission Charges

The BGS-CIEP Transmission Charges will be based on such applicable rate schedules on file with and approved by the Board as may be in effect from time to time.

JCP&L will file with the BPU to change the transmission charges to customers as the FERC approves changes in the Network Integration Transmission Service rates for the JCP&L zone in the PJM OATT, or the FERC approves other network transmission-related charges in the PJM OATT at a minimum of twice per year for the rates to become effective January 1 and June 1. To the extent that there is a change to the payments required by PJM for transmission, either as a result of a change in the firm transmission rate or as a result of a cost reallocation, the EDCs may submit

---

an additional filing to the Board to change the transmission charge paid by BGS customers. JCP&L will review and verify the basis for any BGS transmission charge adjustment, file supporting documentation from the PJM OATT, and any rate translation spreadsheets used.

(4) BGS-CIEP Reconciliation Charge

Implementation of the BGS-CIEP Reconciliation Charge for the BGS-CIEP default service is explained in Section II - Accounting and Cost Recovery, above.

D. CIEP Standby Fee (Rider CIEP - Standby Fee (formerly Rider DSSAC))

This charge (formerly the “Default Supply Service Availability Charge”), equal to \$0.00015 per kWh of BGS-CIEP-Eligible Customers’ usage, is intended to recover the BGS-CIEP Suppliers’ costs associated with maintaining the availability of the hourly priced default electric supply service for all customers on the applicable rate classes as indicated in the Rider and, thus, this charge will be paid directly to the BGS-CIEP Suppliers by the Company.

IV. DESCRIPTION OF BGS PRICING SPREADSHEET

The charge for each BGS rate element (*i.e.* Rate RT Summer charge, Winter charge, etc.) for the BGS-RSCP service will be based on a factor times the final winning bid price. These factors have been developed based on the ratios of the estimated underlying market costs of each rate element (for each rate class) to the overall all-in BGS cost, as determined by the percent load weighted costs of the remaining load served from the 2022 and 2023 BGS auctions and the forecasted cost for the 2024 BGS auction. The tables included in Attachment 2 present all of the input data, intermediate calculations, and the final results in the calculation of these ratios.

---

A separate cost allocation is performed for each auction (2022/2023, 2023/2024 and 2024/2025, BGS Supply Periods). Except where noted, the tables are identical for each year.

Table #1 (% Usage during PJM On-Peak Period) contains the percentage of on-peak load, inputted by month, for each rate schedule. The on-peak period as used in this table (referred to as PJM periods) is defined as the 16-hour period from 7 AM to 11 PM, Monday through Friday (non-holidays). All remaining weekday hours and all hours on weekends and holidays recognized by the National Electric Reliability Council (“NERC”) are considered the off-peak period. This is consistent with the time periods used in the forwards market for trading of bulk power. The values in this table are monthly average based on the on-peak versus total usage from profile data for the respective rate class and calendar month using 2020, 2021 and 2022 data.

Table #2 (% Usage During JCP&L On-Peak Billing Period) contains the percentage of on-peak load, forecasted for 2023, by month, for JCP&L's RT and GST rate schedule based on the definitions of time periods as contained in JCP&L's Tariff under the applicable rate schedule. RT and GST are the two rate schedules in Table #1 for which JCP&L bills energy charges differentiated by on-peak and off-peak prices.

Table #3 (Class Usage @ customer) contains the calendar month sales forecasted for the calendar year 2023. The values in Table #3 will be updated in January 2024 to better reflect the amount by rate schedule that could be in effect starting on June 1, 2024. The GS and GST classes exclude the usage of those accounts with peak load shares of 500 kW or greater to be served under BGS-CIEP.

Table #4 (Forwards Prices – Energy Only @ bulk system) contains the forwards prices for energy, by time period and month, for the applicable Post Transition Year. For the 2022/2023 and

2023/2024 BGS Supply Periods, the initial prices that were used were adjusted by a uniform amount (see Table #17) so that the total costs match the total payments at the final bid price for the 36-month tranches from the 2022 and 2023 BGS auctions. These values consist of the published energy on-peak forwards at the time the respective year's Pricing Spreadsheet was developed, and an estimate of the unpublished costs for the off-peak periods of each month derived based on a ratio of on-peak to off-peak prices.

An adjustment of the forward prices contained in Table #4 must be made to correct for the pricing differential between the PJM West trading hub and the JCP&L zone where the BGS supply will be utilized.

Table #5 (Zone-Hub Basis Differential) contains an estimate of the average differential, by month and time period, which, when multiplied by the prices at the PJM West trading hub, will result in costs for power delivered into the JCP&L zone.

The factors utilized for average system losses and unaccounted-for supply are inputted in Table #6 (Losses) by rate schedule. Loss factors (@ bulk) are those currently in effect and approved by the Board. Since the service for all of the rates indicated is at secondary voltages, the loss factors are identical for all rates. The loss factors (@ transmission node) shown on the lower portion of this Table reflect PJM marginal loss.

Table #7 (Summary of Average BGS Energy Only Unit Costs @ customer – PJM Time Periods) is the calculation of the energy-only costs by rate, time period and season. These values are the seasonal and time period average costs per MWh as measured at the customer billing meter (from Table #3), based on the forward prices (from Table #4) corrected for zone-hub differential (from Table #5), losses (from Table #6), and monthly time period weights (from Table #1). These

---

average costs do not include the costs associated with Ancillary Services, Renewable Portfolio Standard compliance, Generation Obligation or Transmission, which will be considered in subsequent calculations.

Table #8 (Summary of Average BGS Energy Only Costs @ Customer – PJM Time Periods) indicates the total value, in thousands of dollars, of the average BGS energy-only costs. These are the results of the multiplication of the unit costs from Table #7 and the total sales to customers from Table #3. Since the end result of these calculations will be utilized in the development of retail BGS rates, the rates utilizing time-of-day pricing must be developed based upon the time periods as defined for billing.

Table #9 (Summary of Average BGS Energy Only Unit Costs @ Customer – JCP&L Time Periods) shows the result of the corrections for the RT and GST rates billed on a time-of-day basis. These values are calculated by starting with the revenue in Table #8. Because JCP&L bills fewer on-peak hours than the hours defined by PJM, a portion of the PJM on-peak costs had to be reallocated to the revenue to be collected at Tariff off-peak hour prices. This was accomplished by first calculating the difference between the two sets of on-peak hours by multiplying the total respective RT and GST MWh usage for each month from Table #3 by the percentages in Table #1 versus the percentages in Table #2. This difference between these two sets of on-peak MWh was then totaled by season (Summer and Winter) and multiplied by the average of the applicable Summer or Winter on-peak and off-peak prices in Table #7. This revenue amount was added to the respective off-peak revenue amount in Table #8 and subtracted from the respective on-peak revenue amount in Table #8. The revenue amounts in Table #8 (with the respective RT and GST on-peak and off-peak revenue adjusted by the calculations noted above) were then divided by the



---

Tariff-based MWh for the respective rate class and usage type (total, on-peak or off-peak) and season (Summer or Winter) to arrive at the unit costs in Table #9.

Table #10 sets up the calculations to establish the costs of the Generation Capacity and Transmission obligations. The top portion of Table #10 (Generation & Transmission Obligations and Costs) shows the total obligations, by rate schedule, that are currently being utilized in the year 2023, with the GS and GST obligation reduced to reflect the accounts with a peak load share of 500 kW or greater taking service under BGS-CIEP. The values in the top portion of Table #10 will be updated in January 2024 to better reflect the aggregate amount by rate schedule that could be in effect on June 1, 2024. The middle portion of this table shows the number of Summer and Winter days and months and the seasonally differentiated costs of generation capacity that were projected during the applicable BGS Supplier Period. For the 2022/2023 and 2023/2024 BGS Supply Periods, the initial prices used are adjusted by a uniform amount (see Table #17) so that the total costs match the final bid price for the 36-month tranches from the 2022 and 2023 BGS auctions. Since transmission is no longer a part of BGS Auction since June 2021, the cost of transmission service is set to zero. The bottom portion of this table shows the summer BGS price block differential for the RS rate class as prescribed by the Board. The percentage usage figures are based on the amount of RS Summer billing month usage forecasted to be billed at the respective price blocks for 2023. These price block usage percentages are used in Table #13 to lower the first block (0-600 kWh per month) and raise the second block (over 600 kWh per month) RS Summer prices on an overall revenue neutral basis.

Table #11 (Ancillary Services) For 2024/2025 BGS Supply Period, an estimate of the effects of the cost of ancillary services and the Renewable Portfolio Standard is included in the development of the final BGS rates. The values of \$2.00 per MWh and \$20.88 per MWh are used, respectively.

---

Since the actual costs are a complex combination of many factors, this Board approved estimate of the overall annual average value, expressed on a dollar per MWh basis, is used as a reasonable and practical alternative. For the 2022/2023 and 2023/2024 BGS Supply Periods, the initial prices used are adjusted by a uniform amount (see Table #17) so that the total costs match the final bid price for the 36 month tranches from the 2022 and 2023 BGS auctions.

Table #12 (Summary of Obligation Costs Expressed as \$/MWh @ customer) provides transmission and generation obligation costs. Since transmission is no longer a part of BGS Auction since June 2021, transmission cost is set to zero. The values for the generation obligations are calculated by taking the total generation capacity costs from the middle of Table #10 (Summer, Winter and annual) and allocating them by rate class based on each rate class's portion of the BGS-RSCP Total Generation Obligation (from the top of Table #10). The respective allocated capacity costs for each rate class and season are then divided by the associated MWh. The MWhs are taken from Table #3 for the All-Hours costs to arrive at the Generation Obligation \$/MWh in Table #12. For RT and GST, the respective MWhs from Table #3 are multiplied by the on-peak percentages from Table #2 to arrive at the On-Peak Generation Obligation \$/MWh in Table #12.

Table #13 (Summary of BGS Unit Costs @ customer) is the result of the inclusion generation capacity and Ancillary Services costs in the energy only costs shown in Table #9. Note: the Ancillary Services cost in Table #11 is corrected for losses (from Table #6). This table shows the total estimated all-in BGS costs on a dollars per MWh basis.

Table #14 (Units at Customer) is the forecasted 2023 units at customer (metered usage without losses) by rate class, season, usage block and on-peak versus off-peak as applicable.

---

Table #15 (Summary of Total Estimated BGS Costs by Season) provides the total cost by rate class by season, usage block and on-peak versus off-peak period, as applicable. This is based on the unit costs in Table #13 multiplied by the applicable units in Table #14.

Table #16 (Customer and Bulk System Costs) applies only to the 2022/2023 and 2023/2024 BGS Supply Periods. This table takes the total costs at customer from Table #15, summarizes the units from Table #14 by season and then calculates the Supplier Payment that would be required if 100% of the load was provided based on the final bid price and seasonal factors for the applicable auction year.

Table #17 (Adjustment Factor Calculation) applies only to the 2022/2023 and 2023/2024 BGS Supply Periods. This table compares the Total Supplier Payments from Table #16 to the total Estimated BGS Costs by Season in Table #15 based upon the initial Forwards Prices in Table #4, Generation Capacity Cost in Table #10 and Ancillary Service Charges in Table #11. The resulting Summer and Winter adjustment factors are then used to derive the adjusted Forwards Prices in Table #4, Generation Capacity Cost in Table #10 and Ancillary Service Charges in Table #11. After updating the applicable formulas with these adjustment factors the Total Suppliers Payments in Table #16 and the Total Estimated BGS Costs by Season in Table #15 should match within rounding error and the adjustment factor calculation should arrive at (or very close to) 1.

Table #18 (Bulk System Costs) applies only to the 2024/2025 BGS Supply Period. This table takes the total cost from Table #15 and divides it by the total units in Table #3 adjusted by the loss factors in Table #6 to derive the average annual cost per wholesale MWh.

Table #19 (Seasonal Payment Factors) performs a similar calculation to Table #18, but on a seasonal basis to arrive at the average Summer cost per wholesale MWh and the average Winter

---

cost per wholesale MWh. It then compares these average seasonal costs to the average annual cost to derive the Seasonal Payment Factors for the 2024/2025 BGS Supply Period. Since the normal calculation would produce the atypical result of a Summer Seasonal Payment Factor that is lower than the Winter Seasonal Payment Factor for the 2024/2025 BGS Supply Period, a factor of 1.0 will be used for both the Summer and Winter Seasonal Payment Factors.

The Composite Cost Allocation uses the Total Estimated BGS Costs excluding Transmission by Season from Table #15 for the 2022/2023, 2023/2024 and 2024/2025 BGS Supplier Periods to derive the tranche weighted average cost excluding Transmission for June 1, 2024 through May 31, 2025, for each rate class, by season, usage block and on-peak versus off-peak as applicable.

Tables #C1, #C2 and #C3 are the costs excluding transmission for the three bid years along with the number of tranches that will be served from each respective bid year for the period June 1, 2024 through May 31, 2025.

Table #C4 (Composite Percent Load Weighted Costs) is the cost for each of the bid years multiplied by the respective number of tranches to be served in each bid year divided by the total number of tranches.

Table #C5 (Units @ Customer) This is the forecasted 2023 units at customer (metered usage without losses) by rate class, season, usage block and on-peak versus off-peak, as applicable.

Table #C6 (Summary of BGS Unit Costs @ customer) is the average cost per MWh for each rate class, season, usage block and on-peak versus off-peak (as applicable), based on the Composite Costs in Table #C4 divided by the units at customer in Table #C5 with a migration adjustment.

The second part of Table #C6 takes the total Composite Cost from Table #C4 and divides it by the

---

total wholesale MWh (2024/2025 BGS Supply Period, Table #3 adjusted by the loss factors in 2024/2025 BGS Supply Period, Table #6) to arrive at the Average Costs at bulk system and the Average Costs at transmission nodes.

Table #C7 (Ratio of BGS Unit Costs @ customer to Average Cost @ transmission nodes) indicates the ratio of the individual rate element costs to the overall cost as measured at the transmission nodes, both from Table #C6. These ratios are to be used to go from the bid price to the rate class-specific retail BGS rates effective June 1, 2024 through May 31, 2025. For all but the RS service classification, the rate class specific energy, capacity and ancillary services rate will be the bid price times the ratio in Table #C7, the result of which is increased for sales and use tax. Customers will continue to be billed the current Tariff transmission rates. For the RS service classification, Table #C7 also provides constants (excluding sales and use taxes) to be applied to all RS Summer first and second block units (after applying the ratio in Table #C7) to achieve the prescribed first versus second block differential (per the bottom of Table #10) while maintaining the same overall revenue. Other than adjusting the price by this constant, all rates for the RS service classification are calculated as indicated above.

#### V. Direct Current Fast Charging (“DCFC”) BGS Proposal

As directed by the Board in Order Docket No. ER22030127, dated November 9, 2022, the Company proposes an optional alternative BGS CIEP Capacity Charge for CIEP eligible customers as described in Section III, Subsection C and who operate DCFC stations for the BGS supply period starting June 1, 2024 through May 31, 2026. These BGS CIEP DCFC customers can make a one-time election to pay BGS CIEP Capacity Charge at a \$ per kWh rate for BGS Capacity Cost for the 2024/2025 BGS Supply period and/or 2025/2026 BGS Supply period, respectfully.

Such election shall be made separately before June 1, 2024 to be effective starting from June 1, 2024 to May 31, 2025 and/or before June 1, 2025 to be effective starting from June 1, 2025 to May 31, 2026.

The rate for kWh-based charge would be derived from the capacity cost during each BGS supply period for all DCFC customers currently served and the total forecast charging usage in kWh for these customers during the same BGS supply period. Please see Appendix A for the illustrative calculations of the BGS CIEP kWh-based Capacity Charge for the BGS supply period starting June 1, 2024 through May 31, 2025.

Upon the Board's certification of the BGS CIEP Auction results in the 2024 BGS Auction for 2024/2025 supply period, the Company will calculate the BGS CIEP kWh-based Capacity Charge in its tariff compliance filing rate to be effective starting June 1, 2024 through May 31, 2025. BGS CIEP kWh-based Capacity Charge for the BGS supply period effective from June 1, 2025 to May 31, 2026 will be made available in the similar way from 2025 BGS CIEP Auction result.

All costs of implementing and administrating this rate option and any difference between the BGS capacity cost and revenue recovered from customers taking this rate option will be separately tracked and recovered through BGS CIEP Reconciliation Charge from all BGS CIEP customers.

The Company will evaluate the participation of this optional offering and reserve the right to modify or terminate this offering in the future BGS year starting June 1, 2026.

## VI. Conclusion

JCP&L hereby submits its Company Specific Addendum to the Board and requests that the Board issue an Order specifically approving, as reasonable and prudent, the Company's proposals for (1) use of its Committed Supply; (2) a Contingency Plan; (3) Tariff sheets for Riders BGS-RSCP, BGS-CIEP, and CIEP - Standby Fee; (4) BGS pricing AND (5) Direct Current Fast Charging ("DCFC") BGS Proposal.

JERSEY CENTRAL POWER & LIGHT COMPANY

BPU No. 13 ELECTRIC - PART III

XX Rev. Sheet No. 41  
Superseding XX Rev. Sheet No. 41

**Rider BGS-RSCP**  
**Basic Generation Service – Residential Small Commercial Pricing**  
**(Applicable to Service Classifications RS, RT, RGT, GS, GST, OL, SVL, MVL, ISL and LED)**

Effective June 1, 2015, Rider BGS-FP (Basic Generation Service – Fixed Pricing) is renamed Rider BGS-RSCP to comply with the BPU Order dated November 24, 2014 (Docket No. ER14040370).

**AVAILABILITY:** Rider BGS-RSCP is available to and provides Basic Generation Service (default service) charges applicable to all KWH usage for Full Service Customers taking service at secondary voltages under Service Classifications RS, RT, RGT, GS, GST, OL, SVL, MVL, ISL and LED, except for GS and GST customers that have a peak load share of 500 KW or greater as of **November 1, 2023**. Rider BGS-RSCP-eligible GS and GST customers may elect to take default service under Rider BGS-CIEP no later than the second business day in January of each year. Such election will be effective June 1 of that year and Rider BGS-CIEP will remain the customer’s default service for the entire 12-month period from June 1 through May 31 of the following year. BGS-RSCP-eligible customers who have elected to take default service under BGS-CIEP may return to BGS-RSCP by notifying the Company no later than the second business day in January of each year. Such notification to return to BGS-RSCP will become effective June 1 of that year.

**RATE PER BILLING MONTH: (For service rendered effective **June 1, 2024** through **May 31, 2025**)**  
**1) BGS Energy Charge per KWH:** (All charges include Sales and Use Tax as provided in Rider SUT.)

<u>Service Classification</u>	<u>June through September</u>	<u>October through May</u>
<b>RS</b> - first 600 KWH	\$x.xxxxxx	
- all KWH over 600	\$x.xxxxxx	
- all KWH		\$x.xxxxxx
(Excludes off-peak and controlled water heating special provisions)		
<b>RT</b> - all on-peak KWH	\$x.xxxxxx	\$x.xxxxxx
- all off-peak KWH	\$x.xxxxxx	\$x.xxxxxx
<b>RGT</b> - all on-peak KWH	\$x.xxxxxx	
- all off-peak KWH	\$x.xxxxxx	
- all KWH		\$x.xxxxxx
<b>RS and GS Water Heating</b> – all KWH	\$x.xxxxxx	\$x.xxxxxx
(For separately metered off-peak and controlled water heating usage under applicable special provisions)		
<b>GS</b> - all KWH	\$x.xxxxxx	\$x.xxxxxx
(Excludes off-peak and controlled water heating special provisions)		
<b>GST</b> - all on-peak KWH	\$x.xxxxxx	\$x.xxxxxx
- all off-peak KWH	\$x.xxxxxx	\$x.xxxxxx
<b>OL, SVL, MVL, ISL, LED</b> - all KWH	\$x.xxxxxx	\$x.xxxxxx

BGS Energy Charges above reflect costs for energy, generation capacity, ancillary services and related cost.

Issued:

Effective:

Filed pursuant to Order of Board of Public Utilities  
Docket No. \_\_\_\_\_ dated \_\_\_\_\_

Issued by James V. Fakult, President  
300 Madison Avenue, Morristown, NJ 07962-1911



JERSEY CENTRAL POWER & LIGHT COMPANY

XX Rev. Sheet No. 43

BPU No. 13 ELECTRIC - PART III

Superseding XX Rev. Sheet No. 43

**Rider BGS-CIEP**  
**Basic Generation Service – Commercial Industrial Energy Pricing**  
 (Applicable to Service Classifications GP and GT and  
 Certain Customers under Service Classifications GS and GST)

**AVAILABILITY:** Rider BGS-CIEP is available to and provides Basic Generation Service (default service) charges applicable to all Full Service Customers taking service at primary and transmission voltages under Service Classifications GP and GT and any Full Service Customers taking service at secondary voltages under Service Classifications GS and GST that have a peak load share of 500 KW or greater as of **November 1, 2023**, or that have elected to take BGS-CIEP service no later than the second business day in January of each year. All BGS-CIEP customers remain subject to this Rider for the entire 12-month period from June 1 of any given year through May 31 of the following year.

**RATE PER BILLING MONTH:**  
 (For service rendered effective **June 1, 2024** through **May 31, 2025**)

**1) BGS Energy Charge per KWH:** The sum of actual real-time PJM load weighted average Residual Metered Load Aggregate Locational Marginal Price for JCP&L Transmission Zone and ancillary services of **\$0.00600** per KWH, times the Losses Multiplier provided below, times 1.06625 multiplier for Sales and Use Tax as provided in Rider SUT.

Losses Multiplier:	GT – High Tension Service	1.005
	GT	1.027
	GP	1.047
	GST	1.103
	GS	1.103

**2) BGS Capacity Charge per KW of Generation Obligation:** **\$x.xxxxx** per KW-day times BGS-CIEP customer's share of the capacity peak load assigned to the JCP&L Transmission Zone by the PJM Interconnection, L.L.C., as adjusted by PJM assigned capacity related factors, times 1.06625 multiplier for Sales and Use Tax as provided in Rider SUT.

**Alternative BGS Capacity Charge per KWH:** **\$x.xxxxxx** (includes Sales and Use Tax as provided in Rider SUT): For customer who operates Direct Current Fast Charging to serve electric vehicles only and who elects this one-time option before June 1, 2024.

**3) BGS Transmission Charge per KWH:** As provided in the respective tariff for Service Classifications GS, GST, GP and GT. Effective September 1, 2019, a RMR surcharge will be added to the BGS Transmission Charge applicable to all KWH usage, as follows (includes Sales and Use Tax as provided in Rider SUT):

GT – High Tension Service	<b>\$0.000000</b>
GT	<b>\$0.000000</b>
GP	<b>\$0.000000</b>
GS and GST	<b>\$0.000000</b>

Issued:

Effective:

Filed pursuant to Order of Board of Public Utilities  
**Docket No.** **dated**

Issued by James V. Fakult, President  
 300 Madison Avenue, Morristown, NJ 07962-1911

JERSEY CENTRAL POWER & LIGHT COMPANY

BPU No. 13 ELECTRIC - PART III

XX Rev. Sheet No. 45  
Superseding XX Rev. Sheet No. 45

**Rider CIEP – Standby Fee  
Commercial Industrial Energy Pricing Standby Fee  
(Applicable to Service Classifications GP and GT and  
Certain Customers under Service Classifications GS and GST)**

Effective June 1, 2007, Rider DSSAC (Default Supply Service Availability Charge) is renamed Rider CIEP – Standby Fee to comply with the BPU Order dated December 22, 2006 (Docket No. EO06020119).

**APPLICABILITY:** Rider CIEP – Standby Fee provides a charge applicable to all KWH usage of all Full Service Customers or Delivery Service Customers taking service under Service Classifications GP and GT and any Full Service Customer or Delivery Service Customer taking service under Service Classifications GS and GST that has a peak load share of 500 KW or greater as of **November 1, 2023**, or that has elected to take Basic Generation Service-Commercial Industrial Energy Pricing under Rider-CIEP no later than the second business day in January of each year. This charge is applicable for service rendered from **June 1, 2024** through **May 31, 2025** to recover costs associated with administrating and maintaining the availability of the hourly-priced default Basic Generation Service for these customers.

**CIEP – Standby Fee per KWH: \$0.000150**

**(\$0.000160** including Sales and Use Tax as provided in Rider SUT)

---

Issued:

Effective:

Filed pursuant to Order of Board of Public Utilities  
Docket No. dated

Issued by James V. Fakult, President  
300 Madison Avenue, Morristown, NJ 07962-1911

**Jersey Central Power & Light  
Attachment 2  
2024 BGS Auction Cost and Bid Factor Tables**

**2022/2023 BGS Supply Period Estimated Supplier Payments Allocated by Rate Class**

**Development of Post Transition Period BGS Cost and Bid Factors  
Adjusted to Billing Time Periods**

**Table #1**

**% Usage During PJM On-Peak Period**

*Based on an average of 2020 to 2022 Load Profile Information  
On-Peak periods defined as the 16 hr PJM Trading period, adj for NERC holidays*

	Profile Meter Data	Profile Meter Data	Profile Meter Data	Profile Meter Data	Other Analysis
	RT{1}	RS{2}	GS{3}	GST	OL/SL
<i>(data rounded to nearest .01 %)</i>					
January	46.08%	48.23%	54.60%	52.12%	32.53%
February	46.92%	49.78%	56.10%	53.71%	30.88%
March	49.28%	52.27%	60.07%	55.25%	31.86%
April	49.68%	52.24%	59.54%	54.74%	31.84%
May	44.34%	45.72%	55.26%	51.89%	28.35%
June	54.61%	55.52%	59.86%	57.69%	30.94%
July	52.60%	52.04%	56.91%	54.34%	28.33%
August	53.62%	54.35%	58.59%	55.52%	29.87%
September	49.14%	50.20%	58.66%	55.27%	31.40%
October	47.30%	49.80%	57.30%	54.15%	32.31%
November	46.37%	49.33%	56.98%	53.45%	32.34%
December	48.79%	50.61%	57.23%	53.99%	34.03%

**Table #2**

**% Usage During JCP&L On-Peak Billing Period**

*On-Peak periods as defined in specified rate schedule*

	2023 Forecasted Calendar Month Sales	N/A	N/A	2023 Forecasted Calendar Month Sales	N/A
	RT{1}	RS{2}	GS{3}	GST	OL/SL
<i>(data rounded to nearest .01 %)</i>					
January	35.79%	----	----	41.58%	----
February	35.08%	----	----	42.00%	----
March	35.05%	----	----	42.03%	----
April	35.90%	----	----	42.09%	----
May	37.88%	----	----	43.31%	----
June	40.58%	----	----	44.68%	----
July	42.01%	----	----	45.20%	----
August	42.49%	----	----	44.81%	----
September	41.68%	----	----	45.31%	----
October	38.40%	----	----	44.94%	----
November	35.99%	----	----	44.04%	----
December	35.91%	----	----	42.20%	----

{1} For BGS purposes the RT rate class includes the RS and GS rate class Off-Peak (OPWH) and Controlled Water Heating (CTWH) provisions. The RT rate class also includes the summer billing month RGT rate class usage. OPWH and CTWH is billed on the average RT rates, while RT and Summer RGT use is billed at on-peak and off-peak rates.

{2} For BGS purposes the RS rate class excludes the Off-Peak and Controlled Water Heating provisions and includes the winter billing month RGT rate class usage

{3} For BGS purposes the GS rate class excludes the Off-Peak and Controlled Water Heating provisions

**Jersey Central Power & Light  
Attachment 2**

**Table #3**      **Class Usage @ customer**  
*calendar month sales forecasted for 2023  
in MWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
January	21,737	830,631	476,277	14,624	9,753	1,353,022
February	21,724	791,280	464,508	14,543	9,753	1,301,808
March	19,819	731,324	459,199	14,902	9,753	1,234,997
April	15,463	626,387	426,664	12,002	9,753	1,090,269
May	12,474	571,244	392,258	9,803	9,754	995,533
June	13,518	723,109	458,107	11,312	9,754	1,215,800
July	17,081	1,061,944	516,146	13,379	9,754	1,618,304
August	17,728	1,136,389	548,316	13,360	9,754	1,725,547
September	16,120	1,014,863	503,850	12,806	9,755	1,557,394
October	11,336	688,787	448,325	12,663	9,755	1,170,866
November	11,805	588,637	405,256	11,636	9,755	1,027,089
December	16,488	698,882	432,012	12,174	9,756	1,169,312
Total	195,293	9,463,477	5,530,918	153,204	117,049	15,459,941

**Table #4**      **Forwards Prices - Energy Only @ bulk system**  
*in \$/MWh*

	Initial On-Peak	Adjusted On-Peak	Initial Off-Peak	Adjusted Off-Peak
January	67.200	71.801	51.855	55.406
February	63.000	67.314	48.614	51.943
March	45.200	48.295	34.879	37.267
April	40.800	43.594	31.484	33.640
May	40.900	43.700	31.561	33.722
June	44.350	57.343	29.642	38.326
July	50.800	65.683	33.953	43.900
August	47.550	61.481	31.781	41.092
September	45.450	58.765	30.377	39.276
October	45.050	48.135	34.763	37.143
November	46.600	49.791	35.959	38.421
December	48.900	52.248	37.734	40.318

**Table #5**      **Zone-Hub Basis Differential**  
**Based on 3 Year Average**

	On-Peak	Off-Peak
January	88%	92%
February	88%	92%
March	88%	92%
April	88%	92%
May	88%	92%
June	88%	89%
July	88%	89%
August	88%	89%
September	88%	89%
October	88%	92%
November	88%	92%
December	88%	92%

**Table #6**

<b>Losses</b>	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Loss Factors =	10.5545%	10.5545%	10.5545%	10.5545%	10.5545%
Expansion Factor =	1.11800	1.11800	1.11800	1.11800	1.11800
Loss Factors from Transmission Nodes =	9.8296%	9.8296%	9.8296%	9.8296%	9.8296%
Expansion Factor to Transmission Nodes =	1.10901	1.10901	1.10901	1.10901	1.10901

{4} The GS and GST units exclude the units associated with the 500 kW and above PLS accounts that will be required to take service under BGS-CIEP

**Jersey Central Power & Light  
Attachment 2**

**Table #7**      **Summary of Average BGS Energy Only Unit Costs @ customer - PJM Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses - PJM time periods  
in \$/MWh

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs		\$ 50.919	\$ 51.089	\$ 52.012	\$ 51.485	\$ 46.308	
	PJM on pk	\$ 60.359	\$ 60.435	\$ 60.191	\$ 60.230	\$ 60.005	
	PJM off pk	\$ 40.511	\$ 40.605	\$ 40.497	\$ 40.521	\$ 40.400	
Winter - all hrs		\$ 48.772	\$ 48.305	\$ 48.483	\$ 48.528	\$ 45.557	
	PJM on pk	\$ 54.105	\$ 53.354	\$ 52.644	\$ 53.159	\$ 52.489	
	PJM off pk	\$ 43.959	\$ 43.297	\$ 42.937	\$ 43.154	\$ 42.330	
Annual		\$ 49.480	\$ 49.463	\$ 49.776	\$ 49.509	\$ 45.808	
System Total	\$						49.55

**Table #8**      **Summary of Average BGS Energy Only Costs @ customer - PJM Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses  
in \$1000

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
Summer - all hrs		\$ 3,282	\$ 201,102	\$ 105,397	\$ 2,618	\$ 1,807	\$ 314,206
	PJM on pk	\$ 2,040	\$ 125,776	\$ 71,313	\$ 1,704	\$ 706	\$ 201,538
	PJM off pk	\$ 1,242	\$ 75,326	\$ 34,084	\$ 914	\$ 1,101	\$ 112,667
Winter - all hrs		\$ 6,382	\$ 266,990	\$ 169,909	\$ 4,967	\$ 3,555	\$ 451,803
	PJM on pk	\$ 3,358	\$ 146,845	\$ 105,410	\$ 2,922	\$ 1,301	\$ 259,836
	PJM off pk	\$ 3,023	\$ 120,145	\$ 64,500	\$ 2,044	\$ 2,254	\$ 191,967
Annual		\$ 9,663	\$ 468,092	\$ 275,307	\$ 7,585	\$ 5,362	\$ 766,009
System Total	\$						766,009

**Jersey Central Power & Light  
Attachment 2**

**Table #9** **Summary of Average BGS Energy Only Unit Costs @ customer - JCP&L Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses - JCP&L billing time periods  
in \$/MWh

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs	\$ 50.919	\$ 51.089	\$ 52.012	\$ 51.485	\$ 46.308
JCP&L On pk	\$ 62.902			\$ 62.555	
JCP&L Off pk	\$ 42.326			\$ 42.424	
Winter - all hrs	\$ 48.772	\$ 48.305	\$ 48.483	\$ 48.528	\$ 45.557
JCP&L On pk	\$ 55.259			\$ 54.449	
JCP&L Off pk	\$ 45.118			\$ 44.115	
Annual Average	\$ 49.480	\$ 49.463	\$ 49.776	\$ 49.509	\$ 45.808
System Average	\$ 49.55				

**Table #10** **Generation & Transmission Obligations and Costs and Other Adjustments**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	BGS-RSCP TOTAL
Gen Obl - MW	48.3	3,355.8	1,311.9	23.4	0.1	4,739.5

Trans Obl - MW Not applicable for JCP&L - Transmission rates are based on Retail Tariff rates for the respective rate classes

# of Months and Days used in this analysis

# of summer days =	122	# of summer months =	4
# of winter days =	243	# of winter months =	8
		total # months =	12

Transmission charges will be based on Retail Tariff rates for the applicable rate schedules

		Initial	Adjusted		
Generation Capacity cost	Summer	\$ 97.93	104.635 \$/MW/day	Summer Total	\$ 60,502,271
	Winter	\$ 97.93	104.635 \$/MW/day	Winter Total	\$ 120,508,621
				Annual Total	\$ 181,010,892

Residential summer BGS + Transmission charge differential  
per BPU and summer blocking percentages

Charges	Rate	% usage
Block 1 (0-600 kWh/m)		52.87%
Block 2 (>600 kWh/m)		47.13%
Differential (Excl. SUT)	0.8652 ¢/kWh	

**Table #11** **Ancillary Services**  
Forecasted Ancillary Services Cost  
Renewable Portfolio Standard Cost  
forecasted overall annual average

	Initial	Adjusted
Forecasted Ancillary Services Cost	\$2.00	
Renewable Portfolio Standard Cost	\$16.09	
forecasted overall annual average	\$18.09	19.329 \$/MWh

**Table #12** **Summary of Obligation Costs Expressed as \$/MWh @ customer**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Transmission Obl - all months	\$ -	\$ -	\$ -	\$ -	\$ -
Generation Obl \$/MWh - all months	\$ 9.451	\$ 13.543	\$ 9.059	\$ 5.834	\$ 0.022
Generation Obl \$/MWh - Summer - All Hours	\$ 9.573	\$ 10.883	\$ 8.265	\$ -	\$ 0.022
Generation Obl \$/MWh - Summer - On-Peak Hours	\$ 22.923			\$ 13.051	
Generation Obl \$/MWh - Winter - All Hours	\$ 9.391	\$ 15.437	\$ 9.518	\$ -	\$ 0.022
Generation Obl \$/MWh - Winter - On-Peak Hours	\$ 26.064			\$ 13.616	

**Jersey Central Power & Light  
Attachment 2**

**Table #13 Summary of BGS Unit Costs @ customer**

**NON-DEMAND RATES**

*includes energy, Generation, and Ancillary Services - adjusted to billing time periods  
in \$/MWh*

	RT{1}		RS{2}		GS{3}		GST {4}		OL/SL
Summer - all hrs	\$ 82.10	\$	\$ 83.58	\$	81.89			\$	67.94
JCP&L On pk	\$ 107.43					\$	97.22		
JCP&L Off pk	\$ 63.94					\$	64.03		
Block 1 (0-600 kWh/m)		\$	79.50						
Block 2 (>600 kWh/m)		\$	88.16						
Winter - all hrs	\$ 79.77	\$	\$ 85.35	\$	79.61			\$	67.19
JCP&L On pk	\$ 102.93					\$	89.67		
JCP&L Off pk	\$ 66.73					\$	65.73		
Annual -all hrs	\$ 80.54	\$	\$ 84.62	\$	80.44	\$	76.95	\$	67.44

**DEMAND RATES**

*includes energy and Ancillary Services, G&T obligations charged separately - adjusted to billing time periods  
in \$/MWh*

**JCP&L does not have a demand component in its BGS charges**

**Jersey Central Power & Light  
Attachment 2**

**Table #14**

**Units @ Customer**  
in kWh

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs	2,152,066		2,026,419,000		39,017,000	
JCP&L On pk	26,015,580			22,890,524		
JCP&L Off pk	36,279,354			27,966,476		
Block 1 (0-600 kWh/m)		2,081,168,000				
Block 2 (>600 kWh/m)		1,855,137,000				
Winter - all hrs	5,274,005	5,527,172,000	3,504,499,000		78,032,000	
JCP&L On pk	45,240,474			43,702,026		
JCP&L Off pk	80,331,521			58,644,975		
						<b>Total</b>
Summer Total	64,447,000	3,936,305,000	2,026,419,000	50,857,000	39,017,000	6,117,045,000
Winter Total	<u>130,846,000</u>	<u>5,527,172,000</u>	<u>3504499000</u>	<u>102347000</u>	<u>78032000</u>	<u>9,342,896,000</u>
Annual Total	195,293,000	9,463,477,000	5,530,918,000	153,204,000	117,049,000	15,459,941,000

**Table #15**

**Summary of Total Estimated BGS Costs by Season**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
Total Costs by Rate - in \$1000						
Summer - all hrs	\$ 177		\$ 165,935		\$ 2,651	
JCP&L On pk	\$ 2,795			\$ 2,225		
JCP&L Off pk	\$ 2,320			\$ 1,791		
Block 1 (0-600 kWh/m)		\$ 165,461				
Block 2 (>600 kWh/m)		\$ 163,542				
Winter - all hrs	\$ 421	\$ 471,757	\$ 278,998		\$ 5,243	
JCP&L On pk	\$ 4,657			\$ 3,919		
JCP&L Off pk	\$ 5,360			\$ 3,854		
Total Costs - in \$1000						
Summer	\$ 5,291	\$ 329,003	\$ 165,935	\$ 4,016	\$ 2,651	\$ 506,896
Winter	\$ 10,438	\$ 471,757	\$ 278,998	\$ 7,773	\$ 5,243	\$ 774,209
Total	\$ 15,729	\$ 800,760	\$ 444,933	\$ 11,790	\$ 7,894	\$ 1,281,106
% of Annual Total \$						
Summer	34%	41%	37%	34%	34%	40%
Winter	66%	59%	63%	66%	66%	60%



**Jersey Central Power & Light  
Attachment 2**

**Table #16 Customer & Bulk System Costs**

**Customer Costs Per Allocation Matrix**

Grand Total Cost in \$1000 = \$ 1,281,106

<b>Seasonal Units</b>	<b>RT{1}</b>	<b>RS{2}</b>	<b>GS{3}</b>	<b>GST {4}</b>	<b>OL/SL</b>	<b>Total</b>
Summer	72,052	4,400,786	2,265,535	56,858	43,621	6,838,852
Winter	146,286	6,179,374	3,918,027	114,424	87,240	10,445,351

<b>Supplier Payment in \$1000</b>	<b>Seasonal</b>	<b>Price per MWH</b>	<b>Units</b>	<b>Payment</b>
<b>2022 Auction with Capacity Proxy True-Up</b>	<u>Factor</u>	74.120	<u>Units</u>	<u>Payment</u>
Seasonally Adjusted Summer Payment	1.0000	74.120	6,838,852	\$ 506,896
Seasonally Adjusted Winter Payment	1.0000	74.120	10,445,351	\$ 774,209
Total Supplier Payment				\$ 1,281,105

**Table #17 Adjustment Factor Calculation**

<b>Allocated Customer Costs on a per MWh basis (on bulk system MWhs):</b>	<b>Seasonal Supplier Payment</b>	<b>Adjustment Factor</b>	<b>Adjustment Calculation</b>
Summer	\$ 74.12 per MWh @ bulk system	74.12	1.0000
Winter	\$ 74.12 per MWh @ bulk system	74.12	1.0000

**Assumptions:**

- Generation Capacity Cost = \$ 104.64 per MW day Summer
- \$ 104.64 per MW day Winter
- Transmission cost = Zero, as Transmission product will be excluded from BGS product starting June 1, 2021.
- Analysis time period = 4 summer months
- 8 winter months
- Ancillary Services = \$ 19.33 per MWh
- Energy Costs = Based on Forwards prices @ PJM West corrected for hub-zone basis differential (both based on the figures used to derive the Bid Factors and establish retail rates in Post Transition Year 20 and adjusted to match the total cost at the actual supplier bid price.
- Usage patterns = forecasted 2023 energy use by class based upon PJM on/off % from 2020 through 2022 class load profiles
- JCP&L billing on/off % from 2023 forecasted billing determinants
- Obligations = class totals for 2023 excluding accounts required to take service under BGS-CIEP as of June 1, 2024
- Losses = Consistent with Losses as approved by the BPU
- PJM Time Periods = PJM trading time periods - 7 AM to 11 PM weekdays, local time, excluding NERC holidays - New Year's, Memorial, 4th of July, Labor Day, Thanksgiving & Christmas
- JCP&L Billing time periods = RT On-peak hours are 8 am to 8 pm Eastern Standard Time, Monday through Friday.
- GST On-peak hours are 8 am to 8 pm prevailing time, Monday through Friday.
- The Holidays identified by PJM are not excluded from the RT or GST Billing On-Peak kWh.
- NJ Sales and Use Tax (SUT) = SUT excluded from all costs

**Jersey Central Power & Light  
Attachment 2  
2024 BGS Auction Cost and Bid Factor Tables**

**2023/2024 BGS Supply Period Estimated Supplier Payments Allocated by Rate Class**

**Development of Post Transition Period BGS Cost and Bid Factors  
Adjusted to Billing Time Periods**

**Table #1**

**% Usage During PJM On-Peak Period**

*Based on an average of 2020 to 2022 Load Profile Information  
On-Peak periods defined as the 16 hr PJM Trading period, adj for NERC holidays*

(data rounded to nearest .01 %)	Profile Meter Data	Profile Meter Data	Profile Meter Data	Profile Meter Data	Other Analysis
	RT{1}	RS{2}	GS{3}	GST	OL/SL
January	46.08%	48.23%	54.60%	52.12%	32.53%
February	46.92%	49.78%	56.10%	53.71%	30.88%
March	49.28%	52.27%	60.07%	55.25%	31.86%
April	49.68%	52.24%	59.54%	54.74%	31.84%
May	44.34%	45.72%	55.26%	51.89%	28.35%
June	54.61%	55.52%	59.86%	57.69%	30.94%
July	52.60%	52.04%	56.91%	54.34%	28.33%
August	53.62%	54.35%	58.59%	55.52%	29.87%
September	49.14%	50.20%	58.66%	55.27%	31.40%
October	47.30%	49.80%	57.30%	54.15%	32.31%
November	46.37%	49.33%	56.98%	53.45%	32.34%
December	48.79%	50.61%	57.23%	53.99%	34.03%

**Table #2**

**% Usage During JCP&L On-Peak Billing Period**

*On-Peak periods as defined in specified rate schedule*

(data rounded to nearest .01 %)	2023 Forecasted	N/A	N/A	2023 Forecasted	N/A
	Sales Calendar Month RT{1}	RS{2}	GS{3}	Sales Calendar Month GST	OL/SL
January	35.79%	---	---	41.58%	---
February	35.08%	---	---	42.00%	---
March	35.05%	---	---	42.03%	---
April	35.90%	---	---	42.09%	---
May	37.88%	---	---	43.31%	---
June	40.58%	---	---	44.68%	---
July	42.01%	---	---	45.20%	---
August	42.49%	---	---	44.81%	---
September	41.68%	---	---	45.31%	---
October	38.40%	---	---	44.94%	---
November	35.99%	---	---	44.04%	---
December	35.91%	---	---	42.20%	---

{1} For BGS purposes the RT rate class includes the RS and GS rate class Off-Peak (OPWH) and Controlled Water Heating (CTWH) provisions. The RT rate class also includes the summer billing month RGT rate class usage. OPWH and CTWH is billed on the average RT rates, while RT and Summer RGT use is billed at on-peak and off-peak rates.  
 {2} For BGS purposes the RS rate class excludes the Off-Peak and Controlled Water Heating provisions and includes the winter billing month RGT rate class usage  
 {3} For BGS purposes the GS rate class excludes the Off-Peak and Controlled Water Heating provisions

**Jersey Central Power & Light  
Attachment 2**

**Table #3**      **Class Usage @ customer**  
*calendar month sales forecasted for 2023*  
*in MWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
January	21,737	830,631	476,277	14,624	9,753	1,353,022
February	21,724	791,280	464,508	14,543	9,753	1,301,808
March	19,819	731,324	459,199	14,902	9,753	1,234,997
April	15,463	626,387	426,664	12,002	9,753	1,090,269
May	12,474	571,244	392,258	9,803	9,754	995,533
June	13,518	723,109	458,107	11,312	9,754	1,215,800
July	17,081	1,061,944	516,146	13,379	9,754	1,618,304
August	17,728	1,136,389	548,316	13,360	9,754	1,725,547
September	16,120	1,014,863	503,850	12,806	9,755	1,557,394
October	11,336	688,787	448,325	12,663	9,755	1,170,866
November	11,805	588,637	405,256	11,636	9,755	1,027,089
December	16,488	698,882	432,012	12,174	9,756	1,169,312
Total	195,293	9,463,477	5,530,918	153,204	117,049	15,459,941

**Table #4**      **Forwards Prices - Energy Only @ bulk system**  
*in \$/MWh*

	Initial On-Peak	Adjusted On-Peak	Initial Off-Peak	Adjusted Off-Peak
January	105.85	148.700	35.019	49.195
February	98.35	138.163	33.005	46.366
March	56.95	80.004	26.767	37.603
April	50.35	70.732	23.491	33.000
May	50.45	70.873	23.885	33.554
June	59.30	92.057	20.359	31.605
July	77.45	120.233	24.478	37.999
August	68.60	106.494	22.401	34.775
September	55.65	86.391	21.229	32.956
October	49.80	69.960	23.806	33.443
November	52.90	74.315	24.043	33.776
December	69.95	98.267	25.701	36.105

**Table #5**      **Zone-Hub Basis Differential**  
**Based on 3 Year Average**

	On-Peak	Off-Peak
January	84%	90%
February	84%	90%
March	84%	90%
April	84%	90%
May	84%	90%
June	83%	90%
July	83%	90%
August	83%	90%
September	83%	90%
October	84%	90%
November	84%	90%
December	84%	90%

**Table #6**      **Losses**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Loss Factors =	10.5545%	10.5545%	10.5545%	10.5545%	10.5545%
Expansion Factor =	1.11800	1.11800	1.11800	1.11800	1.11800
Loss Factors from Transmission Nodes =	9.7690%	9.7690%	9.7690%	9.7690%	9.7690%
Expansion Factor to Transmission Nodes =	1.10827	1.10827	1.10827	1.10827	1.10827

{4} The GS and GST units exclude the units associated with the 500 kW and above PLS accounts that will be required to take service under BGS-CIEP

**Jersey Central Power & Light  
Attachment 2**

**Table #7**      **Summary of Average BGS Energy Only Unit Costs @ customer - PJM Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses - PJM time periods  
in \$/MWh

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs		\$ 66.330	\$ 66.722	\$ 69.574	\$ 67.950	\$ 52.302	
	PJM on pk	\$ 95.152	\$ 95.296	\$ 94.466	\$ 94.579	\$ 93.756	
	PJM off pk	\$ 34.556	\$ 34.665	\$ 34.534	\$ 34.564	\$ 34.422	
Winter - all hrs		\$ 65.013	\$ 64.650	\$ 67.154	\$ 66.280	\$ 53.979	
	PJM on pk	\$ 93.375	\$ 90.729	\$ 88.657	\$ 90.049	\$ 88.176	
	PJM off pk	\$ 39.418	\$ 38.783	\$ 38.493	\$ 38.700	\$ 38.058	
Annual		\$ 65.448	\$ 65.512	\$ 68.041	\$ 66.834	\$ 53.420	
System Total	\$	66.34					

**Table #8**      **Summary of Average BGS Energy Only Costs @ customer - PJM Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses  
in \$1000

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
Summer - all hrs		\$ 4,275	\$ 262,638	\$ 140,987	\$ 3,456	\$ 2,041	\$ 413,396
	PJM on pk	\$ 3,216	\$ 198,330	\$ 111,921	\$ 2,676	\$ 1,102	\$ 317,245
	PJM off pk	\$ 1,059	\$ 64,308	\$ 29,065	\$ 780	\$ 938	\$ 96,151
Winter - all hrs		\$ 8,507	\$ 357,332	\$ 235,342	\$ 6,784	\$ 4,212	\$ 612,177
	PJM on pk	\$ 5,796	\$ 249,712	\$ 177,519	\$ 4,950	\$ 2,186	\$ 440,163
	PJM off pk	\$ 2,711	\$ 107,620	\$ 57,823	\$ 1,833	\$ 2,026	\$ 172,014
Annual		\$ 12,782	\$ 619,970	\$ 376,329	\$ 10,239	\$ 6,253	\$ 1,025,573
System Total	\$	1,025,573					

**Jersey Central Power & Light  
Attachment 2**

**Table #9** **Summary of Average BGS Energy Only Unit Costs @ customer - JCP&L Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses - JCP&L billing time periods  
in \$/MWh

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs	\$ 66.330	\$ 66.722	\$ 69.574	\$ 67.950	\$ 52.302
JCP&L On pk	\$ 102.905			\$ 101.659	
JCP&L Off pk	\$ 40.104			\$ 40.359	
Winter - all hrs	\$ 65.013	\$ 64.650	\$ 67.154	\$ 66.280	\$ 53.979
JCP&L On pk	\$ 102.394			\$ 96.670	
JCP&L Off pk	\$ 43.958			\$ 43.634	
Annual Average	\$ 65.448	\$ 65.512	\$ 68.041	\$ 66.834	\$ 53.420
System Average	\$ 66.34				

**Table #10** **Generation & Transmission Obligations and Costs and Other Adjustments**  
obligations - annual average forecasted for 2023; costs are market estimates  
in MW

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	BGS-RSCP TOTAL
Gen Obl - MW	48.3	3,355.8	1,311.9	23.4	0.1	4,739.5

Trans Obl - MW Not applicable for JCP&L - Transmission rates are based on Retail Tariff rates for the respective rate classes  
# of Months and Days used in this analysis

# of summer days =	122	# of summer months =	4
# of winter days =	243	# of winter months =	8
		total # months =	12

Transmission charges will be based on Retail Tariff rates for the applicable rate schedules

	Initial	Adjusted		Summer Total	Winter Total
Generation Capacity cost	Summer \$ 50.96	71.589 \$/MW/day		\$ 41,394,343	
	Winter \$ 50.96	71.589 \$/MW/day			\$ 82,449,388

Residential summer BGS + Transmission charge differential  
per BPU and summer blocking percentages

Charges	Rate	% usage
Block 1 (0-600 kWh/m)		52.87%
Block 2 (>600 kWh/m)		47.13%
Differential (Excl. SUT)	0.8652 ¢/kWh	

**Table #11** **Ancillary Services**

	Initial	Adjusted
Forecasted Ancillary Services Cost	\$2.00	\$/MWh
Renewable Portfolio Standard Cost	\$16.92	\$/MWh
forecasted overall annual average	\$18.92	\$26.579 \$/MWh

**Table #12** **Summary of Obligation Costs Expressed as \$/MWh @ customer**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Transmission Obl - all months	\$ -	\$ -	\$ -	\$ -	\$ -
Generation Obl \$/MWh - all months	\$ 6.466	\$ 9.266	\$ 6.198	\$ 3.991	\$ 0.015
Generation Obl \$/MWh - Summer - All Hours	\$ 6.549	\$ 7.446	\$ 5.654	\$ -	\$ 0.015
Generation Obl \$/MWh - Summer - On-Peak Hours	\$ 15.684			\$ 8.929	
Generation Obl \$/MWh - Winter - All Hours	\$ 6.425	\$ 10.562	\$ 6.512	\$ -	\$ 0.015
Generation Obl \$/MWh - Winter - On-Peak Hours	\$ 17.832			\$ 9.316	

**Jersey Central Power & Light  
Attachment 2**

**Table #13 Summary of BGS Unit Costs @ customer**

**NON-DEMAND RATES**

*includes energy, Generation obligations, and Ancillary Services - adjusted to billing time periods  
in \$/MWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs	\$ 102.59	\$ 103.88	\$ 104.94		\$ 82.03
JCP&L On pk	\$ 148.30			\$ 140.30	
JCP&L Off pk	\$ 69.82			\$ 70.07	
Block 1 (0-600 kWh/m)		\$ 99.81			
Block 2 (>600 kWh/m)		\$ 108.46			
Winter - all hrs	\$ 101.15	\$ 104.93	\$ 103.38		\$ 83.71
JCP&L On pk	\$ 149.94			\$ 135.70	
JCP&L Off pk	\$ 73.67			\$ 73.35	
Annual -all hrs	\$ 101.63	\$ 104.49	\$ 103.95	\$ 100.54	\$ 83.15

**DEMAND RATES**

*includes energy and Ancillary Services, G&T obligations charged separately - adjusted to billing time periods  
in \$/MWh*

**JCP&L does not have a demand component in its BGS charges**

**Jersey Central Power & Light  
Attachment 2**

**Table #14**

**Units @ Customer  
in kWh**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs	2,152,066		2,026,419,000			39,017,000
JCP&L On pk	26,015,580			22,890,524		
JCP&L Off pk	36,279,354			27,966,476		
Block 1 (0-600 kWh/m)		2,081,168,000				
Block 2 (>600 kWh/m)		1,855,137,000				
Winter - all hrs	5,274,005	5,527,172,000	3,504,499,000			78,032,000
JCP&L On pk	45,240,474			43,702,026		
JCP&L Off pk	80,331,521			58,644,975		
Summer Total	64,447,000	3,936,305,000	2,026,419,000	50,857,000	39,017,000	6,117,045,000
Winter Total	<u>130,846,000</u>	<u>5,527,172,000</u>	<u>3,504,499,000</u>	<u>102,347,000</u>	<u>78,032,000</u>	<u>9,342,896,000</u>
Annual Total	195,293,000	9,463,477,000	5,530,918,000	153,204,000	117,049,000	15,459,941,000

**Table #15**

**Summary of Total Estimated BGS Costs by Season**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
Total Costs by Rate - in \$1000						
Summer - all hrs	\$ 221		\$ 212,661		\$ 3,201	
JCP&L On pk	\$ 3,858			\$ 3,212		
JCP&L Off pk	\$ 2,533			\$ 1,960		
Block 1 (0-600 kWh/m)		\$ 207,712				
Block 2 (>600 kWh/m)		\$ 201,204				
Winter - all hrs	\$ 533	\$ 579,951	\$ 362,302		\$ 6,532	
JCP&L On pk	\$ 6,783			\$ 5,930		
JCP&L Off pk	\$ 5,918			\$ 4,302		
Total Costs - in \$1000						
Summer	\$ 6,612	\$ 408,916	\$ 212,661	\$ 5,171	\$ 3,201	\$ 636,560
Winter	\$ 13,235	\$ 579,951	\$ 362,302	\$ 10,232	\$ 6,532	\$ 972,253
Total	\$ 19,847	\$ 988,867	\$ 574,963	\$ 15,403	\$ 9,733	\$ 1,608,813
% of Annual Total \$						
Summer	33%	41%	37%	34%	33%	40%
Winter	67%	59%	63%	66%	67%	60%

**Jersey Central Power & Light  
Attachment 2**

**Table #16 Customer & Bulk System Costs**

**Customer Costs Per Allocation Matrix**

Grand Total Cost in \$1000 = \$ 1,608,813

Seasonal Units	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
Summer	72,052	4,400,786	2,265,535	56,858	43,621	6,838,852
Winter	146,286	6,179,374	3,918,027	114,424	87,240	10,445,351

**Supplier Payment in \$1000**

2023 Auction with Capacity Proxy True-Up	Seasonal Factor	Price per MWh	Units	Payment
Seasonally Adjusted Summer Payment	1.0000	93.080	6,838,852	\$ 636,560
Seasonally Adjusted Winter Payment	1.0000	93.080	10,445,351	\$ 972,253
Total Supplier Payment				\$ 1,608,813

**Table #17 Adjustment Factor Calculation**

Allocated Customer Costs on a per MWh basis (on bulk system MWhs):	Seasonal Supplier Payment	Adjustment Factor Calculation	Adjustment Factor
Summer \$ 93.08 per MWh @ bulk system	93.08	1.0000	1.552392
Winter \$ 93.08 per MWh @ bulk system	93.08	1.0000	1.404814

**Assumptions:**

- Generation Capacity Cost = \$ 71.59 per MW day Summer
- \$ 71.59 per MW day Winter
- Transmission cost = Zero, as Transmission product will be excluded from BGS product starting June 1, 2021.
- Analysis time period = 4 summer months
- 8 winter months
- Ancillary Services = \$ 26.58 per MWh
- Energy Costs = Based on Forwards prices @ PJM West corrected for hub-zone basis differential (both based on the figures used to derive the Bid Factors and establish retail rates in Post Transition Year 21 and adjusted to match the total cost at the actual supplier bid price.
- Usage patterns = forecasted 2023 energy use by class based upon PJM on/off % from 2020 through 2022 class load profiles
- JCP&L billing on/off % from 2023 forecasted billing determinants
- Obligations = class totals for 2023 excluding accounts required to take service under BGS-CIEP as of June 1, 2024
- Losses = Consistent with Losses as approved by the BPU
- PJM Time Periods = PJM trading time periods - 7 AM to 11 PM weekdays, local time, excluding NERC holidays - New Year's, Memorial, 4th of July, Labor Day, Thanksgiving & Christmas
- JCP&L Billing time periods = RT On-peak hours are 8 am to 8 pm Eastern Standard Time, Monday through Friday.
- GST On-peak hours are 8 am to 8 pm prevailing time, Monday through Friday.
- The Holidays identified by PJM are not excluded from the RT or GST Billing On-Peak kWh.
- NJ Sales and Use Tax (SUT) = SUT excluded from all costs



**Jersey Central Power & Light  
Attachment 2  
2024 BGS Auction Cost and Bid Factor Tables**

**2024/20205 BGS Supply Period Estimated Supplier Payments Allocated by Rate Class**

**Development of Post Transition Period BGS Cost and Bid Factors  
Adjusted to Billing Time Periods**

**Table #1**

**% Usage During PJM On-Peak Period**

*Based on an average of 2020 to 2022 Load Profile Information  
On-Peak periods defined as the 16 hr PJM Trading period, adj for NERC holidays*

	Profile Meter			Profile Meter		Other Analysis
	Data RT{1}	Profile Meter Data RS{2}	Profile Meter Data GS{3}	Data GST	OL/SL	
<i>(data rounded to nearest .01 %)</i>						
January	46.08%	48.23%	54.60%	52.12%	32.53%	
February	46.92%	49.78%	56.10%	53.71%	30.88%	
March	49.28%	52.27%	60.07%	55.25%	31.86%	
April	49.68%	52.24%	59.54%	54.74%	31.84%	
May	44.34%	45.72%	55.26%	51.89%	28.35%	
June	54.61%	55.52%	59.86%	57.69%	30.94%	
July	52.60%	52.04%	56.91%	54.34%	28.33%	
August	53.62%	54.35%	58.59%	55.52%	29.87%	
September	49.14%	50.20%	58.66%	55.27%	31.40%	
October	47.30%	49.80%	57.30%	54.15%	32.31%	
November	46.37%	49.33%	56.98%	53.45%	32.34%	
December	48.79%	50.61%	57.23%	53.99%	34.03%	

**Table #2**

**% Usage During JCP&L On-Peak Billing Period**

*On-Peak periods as defined in specified rate schedule*

	2023 Forecasted Calendar Month			2023 Forecasted Calendar Month		
	Sales RT{1}	N/A RS{2}	N/A GS{3}	Sales GST	N/A OL/SL	
<i>(data rounded to nearest .01 %)</i>						
January	35.79%	----	----	41.58%	----	
February	35.08%	----	----	42.00%	----	
March	35.05%	----	----	42.03%	----	
April	35.90%	----	----	42.09%	----	
May	37.88%	----	----	43.31%	----	
June	40.58%	----	----	44.68%	----	
July	42.01%	----	----	45.20%	----	
August	42.49%	----	----	44.81%	----	
September	41.68%	----	----	45.31%	----	
October	38.40%	----	----	44.94%	----	
November	35.99%	----	----	44.04%	----	
December	35.91%	----	----	42.20%	----	

{1} For BGS purposes the RT rate class includes the RS and GS rate class Off-Peak (OPWH) and Controlled Water Heating (CTWH) provisions. The RT rate class also includes the summer billing month RGT rate class usage. OPWH and CTWH is billed on the average RT rates, while RT and Summer RGT use is billed at on-peak and off-peak rates.

{2} For BGS purposes the RS rate class excludes the Off-Peak and Controlled Water Heating provisions and includes the winter billing month RGT rate class usage

{3} For BGS purposes the GS rate class excludes the Off-Peak and Controlled Water Heating provisions

**Jersey Central Power & Light  
Attachment 2**

**Table #3**      **Class Usage @ customer**  
*calendar month sales forecasted for 2023*  
*in MWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
January	21,737	830,631	476,277	14,624	9,753	1,353,022
February	21,724	791,280	464,508	14,543	9,753	1,301,808
March	19,819	731,324	459,199	14,902	9,753	1,234,997
April	15,463	626,387	426,664	12,002	9,753	1,090,269
May	12,474	571,244	392,258	9,803	9,754	995,533
June	13,518	723,109	458,107	11,312	9,754	1,215,800
July	17,081	1,061,944	516,146	13,379	9,754	1,618,304
August	17,728	1,136,389	548,316	13,360	9,754	1,725,547
September	16,120	1,014,863	503,850	12,806	9,755	1,557,394
October	11,336	688,787	448,325	12,663	9,755	1,170,866
November	11,805	588,637	405,256	11,636	9,755	1,027,089
December	16,488	698,882	432,012	12,174	9,756	1,169,312
Total	195,293	9,463,477	5,530,918	153,204	117,049	15,459,941

**Table #4**      **Forwards Prices - Energy Only @ bulk system**  
*in \$/MWh*

	On-Peak	Off/On Pk LMP ratio	Off-Peak
January	74.45	0.8179	60.894
February	67.00	0.8179	54.801
March	50.40	0.8179	41.223
April	48.20	0.8179	39.424
May	49.30	0.8179	40.324
June	48.25	0.6246	30.139
July	68.35	0.6246	42.694
August	59.00	0.6246	36.853
September	49.10	0.6246	30.670
October	46.55	0.8179	38.074
November	47.75	0.8179	39.056
December	55.10	0.8179	45.067

**Table #5**      **Zone-Hub Basis Differential**  
**Based on 3 Year Average**

	On-Peak	Off-Peak
January	83%	90%
February	83%	90%
March	83%	90%
April	83%	90%
May	83%	90%
June	84%	90%
July	84%	90%
August	84%	90%
September	84%	90%
October	83%	90%
November	83%	90%
December	83%	90%

**Table #6**

Losses	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Loss Factors @ Bulk =	10.5545%	10.5545%	10.5545%	10.5545%	10.5545%
Expansion Factors @ Bulk =	1.11800	1.11800	1.11800	1.11800	1.11800
Loss Factors @ Transmission Node =	9.7013%	9.7013%	9.7013%	9.7013%	9.7013%
Expansion Factors @ Transmission Node =	1.10744	1.10744	1.10744	1.10744	1.10744

{4} The GS and GST units exclude the units associated with the 500 kW and above PLS accounts that will be required to take service under BGS-CIEP

**Jersey Central Power & Light  
Attachment 2**

**Table #7**      **Summary of Average BGS Energy Only Unit Costs @ customer - PJM Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses - PJM time periods  
in \$/MWh

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs		\$ 44.850	\$ 45.111	\$ 45.671	\$ 45.243	\$ 40.465	
	PJM on pk	\$ 53.291	\$ 53.449	\$ 52.863	\$ 52.943	\$ 52.393	
	PJM off pk	\$ 35.545	\$ 35.756	\$ 35.546	\$ 35.588	\$ 35.320	
Winter - all hrs		\$ 49.394	\$ 48.708	\$ 48.598	\$ 48.718	\$ 46.804	
	PJM on pk	\$ 52.377	\$ 51.523	\$ 50.886	\$ 51.297	\$ 50.732	
	PJM off pk	\$ 46.701	\$ 45.917	\$ 45.547	\$ 45.727	\$ 44.976	
Annual		\$ 47.894	\$ 47.212	\$ 47.525	\$ 47.565	\$ 44.691	
System Total	\$	47.32					

**Table #8**      **Summary of Average BGS Energy Only Costs @ customer - PJM Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses  
in \$1000

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	Total
Summer - all hrs		\$ 2,890	\$ 177,569	\$ 92,548	\$ 2,301	\$ 1,579	\$ 276,887
	PJM on pk	\$ 1,801	\$ 111,238	\$ 62,630	\$ 1,498	\$ 616	\$ 177,783
	PJM off pk	\$ 1,090	\$ 66,331	\$ 29,917	\$ 803	\$ 963	\$ 99,104
Winter - all hrs		\$ 6,463	\$ 269,219	\$ 170,311	\$ 4,986	\$ 3,652	\$ 454,632
	PJM on pk	\$ 3,251	\$ 141,804	\$ 101,891	\$ 2,820	\$ 1,258	\$ 251,024
	PJM off pk	\$ 3,212	\$ 127,415	\$ 68,420	\$ 2,166	\$ 2,395	\$ 203,608
Annual		\$ 9,353	\$ 446,788	\$ 262,859	\$ 7,287	\$ 5,231	\$ 731,518
System Total	\$	731,518					

**Jersey Central Power & Light  
Attachment 2**

**Table #9 Summary of Average BGS Energy Only Unit Costs @ customer - JCP&L Time Periods**  
based on Forwards prices corrected for zone-hub differential and losses - JCP&L billing time periods  
in \$/MWh

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs	\$ 44.850	\$ 45.111	\$ 45.671	\$ 45.243	\$ 40.465
JCP&L On pk	\$ 55.564			\$ 54.991	
JCP&L Off pk	\$ 37.167			\$ 37.264	
Winter - all hrs	\$ 49.394	\$ 48.708	\$ 48.598	\$ 48.718	\$ 46.804
JCP&L On pk	\$ 54.890			\$ 52.015	
JCP&L Off pk	\$ 46.298			\$ 46.262	
Annual Average	\$ 47.894	\$ 47.212	\$ 47.525	\$ 47.565	\$ 44.691
System Average	\$ 47.32				

**Table #10 Generation & Transmission Obligations and Costs and Other Adjustments**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	BGS-RSCP TOTAL
Gen Obl - MW	48.3	3,355.8	1,311.9	23.4	0.1	4,739.5
Trans Obl - MW	Not applicable for JCP&L - Transmission rates are based on Retail Tariff rates for the respective rate classes					
# of Months and Days used in this analysis	# of summer days = 122		# of summer months = 4			
	# of winter days = 243		# of winter months = 8			
			total # months = 12			
Transmission charges will be based on Retail Tariff rates for the applicable rate schedules						
Generation Capacity cost	Summer	\$ 54.50 \$/MWh/day		Summer Total	\$ 31,513,105	
	Winter	\$ 54.50 \$/MWh/day		Winter Total	\$ 62,767,906	
				Annual Total	\$ 94,281,011	

Residential summer BGS + Transmission charge differential  
per BPU and summer blocking percentages

	Charges	Rate	% usage
Block 1 (0-600 kWh/m)			52.87%
Block 2 (>600 kWh/m)			47.13%
Differential (Excl. SUT)	0.8652 ¢/kWh		

**Table #11 Ancillary Services**

Forecasted Ancillary Services Cost	\$2.00 \$/MWh
Renewable Portfolio Standard Cost	\$20.88 \$/MWh
Total Forecasted Ancillary Services & Renewable Power Costs	\$22.88 \$/MWh

**Table #12 Summary of Obligation Costs Expressed as \$/MWh @ customer**

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Transmission Obl - all months	\$ -	\$ -	\$ -	\$ -	\$ -
Generation Obl \$/MWh - all months	\$ 4.923	\$ 7.054	\$ 4.718	\$ 3.039	\$ 0.012
Generation Obl \$/MWh - Summer - All Hours	\$ 4.986	\$ 5.668	\$ 4.305	\$ -	\$ 0.012
Generation Obl \$/MWh - Summer - On-Peak Hours	\$ 11.940			\$ 6.798	
Generation Obl \$/MWh - Winter - All Hours	\$ 4.891	\$ 8.041	\$ 4.958	\$ -	\$ 0.012
Generation Obl \$/MWh - Winter - On-Peak Hours	\$ 13.575			\$ 7.092	

**Jersey Central Power & Light  
Attachment 2**

**Table #13 Summary of BGS Unit Costs @ customer**

**NON-DEMAND RATES**

*includes Energy, Generation Obligations, and Ancillary Services - adjusted to billing time periods in \$/MWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs	\$ 75.42	\$ 76.36	\$ 75.56	\$	\$ 66.06
JCP&L On pk	\$ 93.08			\$ 87.37	
JCP&L Off pk	\$ 62.75			\$ 62.84	
Block 1 (0-600 kWh/m)		\$ 72.28			
Block 2 (>600 kWh/m)		\$ 80.93			
Winter - all hrs	\$ 79.87	\$ 82.33	\$ 79.14	\$	\$ 72.40
JCP&L On pk	\$ 94.05			\$ 84.69	
JCP&L Off pk	\$ 71.88			\$ 71.84	
Annual -all hrs	\$ 78.40	\$ 79.85	\$ 77.82	\$ 76.18	\$ 70.28

**DEMAND RATES**

*includes Energy and Ancillary Services, Generation Obligations charged separately - adjusted to billing time periods*

**JCP&L does not have a demand component in its BGS charges**

**Jersey Central Power & Light  
Attachment 2**

**Table #14**

**Units @ Customer**  
in kWh

	<b>RT{1}</b>	<b>RS{2}</b>	<b>GS{3}</b>	<b>GST {4}</b>	<b>OL/SL</b>	
Summer - all hrs	2,152,066		2,026,419,000			39,017,000
JCP&L On pk	26,015,580			22,890,524		
JCP&L Off pk	36,279,354			27,966,476		
Block 1 (0-600 kWh/m)		2,081,168,000				
Block 2 (>600 kWh/m)		1,855,137,000				
Winter - all hrs	5,274,005	5,527,172,000	3,504,499,000			78,032,000
JCP&L On pk	45,240,474			43,702,026		
JCP&L Off pk	80,331,521			58,644,975		
						<b>Total</b>
Summer Total	64,447,000	3,936,305,000	2,026,419,000	50,857,000	39,017,000	6,117,045,000
Winter Total	<u>130,846,000</u>	<u>5,527,172,000</u>	<u>3,504,499,000</u>	<u>102,347,000</u>	<u>78,032,000</u>	<u>9,342,896,000</u>
Annual Total	195,293,000	9,463,477,000	5,530,918,000	153,204,000	117,049,000	15,459,941,000

**Table #15**

**Summary of Total Estimated BGS Costs by Season**

	<b>RT{1}</b>	<b>RS{2}</b>	<b>GS{3}</b>	<b>GST {4}</b>	<b>OL/SL</b>	<b>Total</b>
Total Costs by Rate - in \$1000						
Summer - all hrs	\$ 162		\$ 153,106		\$ 2,577	
JCP&L On pk	\$ 2,422			\$ 2,000		
JCP&L Off pk	\$ 2,276			\$ 1,758		
Block 1 (0-600 kWh/m)		\$ 150,429				
Block 2 (>600 kWh/m)		\$ 150,142				
Winter - all hrs	\$ 421	\$ 455,046	\$ 277,330		\$ 5,649	
JCP&L On pk	\$ 4,255			\$ 3,701		
JCP&L Off pk	\$ 5,774			\$ 4,213		
Total Costs - in \$1000						
Summer	\$ 4,860	\$ 300,572	\$ 153,106	\$ 3,757	\$ 2,577	\$ 464,873
Winter	\$ 10,450	\$ 455,046	\$ 277,330	\$ 7,914	\$ 5,649	\$ 756,389
Total	\$ 15,310	\$ 755,617	\$ 430,436	\$ 11,672	\$ 8,227	\$ 1,221,262
% of Annual Total \$						
Summer	32%	40%	36%	32%	31%	38%
Winter	68%	60%	64%	68%	69%	62%

**Jersey Central Power & Light  
Attachment 2**

Table #16 & Table #17

Not Applicable to 2024/2025 BGS Supply Period

Table #18 **Bulk System Costs**

**ALL RATES**

Grand Total Cost in \$1000 = \$ 1,221,262  
 All-In Average costs @ bulk system = \$ 70.66 per MWh at bulk system (per bulk system metered MWh)

Table #19 **Seasonal Payment Factors**

If total \$ were split on a per MWh basis (on bulk nodes MWhs):

Summer \$ 67.98 per MWh @ bulk system  
 Winter \$ 72.41 per MWh @ bulk system

**Ratio to All-In Cost (rounded to 4 decimal places)**

Summer 0.9620  
 Winter 1.0249

**Ratio to All-In Cost (If Winter is greater than Summer)**

Summer 1.0000  
 Winter 1.0000

**Assumptions:**

Generation Capacity Cost = \$ 54.50 per MW day Summer  
 \$ 54.50 per MW day Winter  
 Transmission cost = Zero, as Transmission product will be excluded from BGS product starting June 1, 2021.  
 Analysis time period = 4 summer months  
 8 winter months  
 Ancillary Services and Renewable Power Cost = \$ 22.88 per MWh  
 Energy Costs = based on 6/24 to 5/25 Forwards @ PJM West corrected for hub-zone basis differential  
 Usage patterns = forecasted 2023 energy use by class based upon PJM on/off % from 2020 through 2022 class load profiles  
 JCP&L billing on/off % from 2023 forecasted billing determinants  
 Obligations = class totals for 2023 excluding accounts required to take service under BGS-CIEP as of June 1, 2024  
 Loss = Consistent with Losses as approved by the BPU  
 PJM Marginal Losses = PJM's calculated mean value of hourly marginal loss factor  
 PJM Time Periods = PJM trading time periods - 7 AM to 11 PM weekdays, local time, excluding NERC  
 holidays - New Year's, Memorial, 4th of July, Labor Day, Thanksgiving & Christmas  
 JCP&L Billing time periods = RT On-peak hours are 8 am to 8 pm Eastern Standard Time, Monday through Friday.  
 GST On-peak hours are 8 am to 8 pm prevailing time, Monday through Friday.  
 The Holidays identified by PJM are not excluded from the RT or GST Billing On-Peak kWh.  
 NJ Sales and Use Tax (SUT) = SUT excluded from all costs

**Jersey Central Power & Light  
Attachment 2  
2024 BGS Auction Cost and Bid Factor Tables**

**BGS-RSCP Composite Cost Allocation**

<b>Table #C1</b>	<b>Post Transition Year 20 Costs w/o Transmission in \$1,000's</b>	<b>Size of Tranches = <u>18</u></b>							
		<b>RT{1}</b>	<b>RS{2}</b>	<b>GS{3}</b>	<b>GST {4}</b>	<b>OL/SL</b>			
Total Costs by Rate - in \$1000									
Summer - all hrs		\$ 177		\$ 165,935		\$ 2,651			
JCP&L On pk		\$ 2,795			\$ 2,225				
JCP&L Off pk		\$ 2,320			\$ 1,791				
Block 1 (0-600 kWh/m)			\$ 165,461						
Block 2 (>600 kWh/m)			\$ 163,542						
Winter - all hrs		\$ 421	\$ 471,757	\$ 278,998		\$ 5,243			
JCP&L On pk		\$ 4,657			\$ 3,919				
JCP&L Off pk		\$ 5,360			\$ 3,854				
Total Costs - in \$1000									
Summer		\$ 5,291	\$ 329,003	\$ 165,935	\$ 4,016	\$ 2,651	\$ 506,896		
Winter		\$ 10,438	\$ 471,757	\$ 278,998	\$ 7,773	\$ 5,243	\$ 774,209		
Total		\$ 15,729	\$ 800,760	\$ 444,933	\$ 11,790	\$ 7,894	\$ 1,281,106		

<b>Table #C2</b>	<b>Post Transition Year 21 Costs w/o Transmission in \$1,000's</b>	<b>Size of Tranches = <u>15</u></b>							
		<b>RT{1}</b>	<b>RS{2}</b>	<b>GS{3}</b>	<b>GST {4}</b>	<b>OL/SL</b>			
Total Costs by Rate - in \$1000									
Summer - all hrs		\$ 221		\$ 212,661		\$ 3,201			
JCP&L On pk		\$ 3,858			\$ 3,212				
JCP&L Off pk		\$ 2,533			\$ 1,960				
Block 1 (0-600 kWh/m)			\$ 207,712						
Block 2 (>600 kWh/m)			\$ 201,204						
Winter - all hrs		\$ 533	\$ 579,951	\$ 362,302		\$ 6,532			
JCP&L On pk		\$ 6,783			\$ 5,930				
JCP&L Off pk		\$ 5,918			\$ 4,302				
Total Costs - in \$1000									
Summer		\$ 6,612	\$ 408,916	\$ 212,661	\$ 5,171	\$ 3,201	\$ 636,560		
Winter		\$ 13,235	\$ 579,951	\$ 362,302	\$ 10,232	\$ 6,532	\$ 972,253		
Total		\$ 19,847	\$ 988,867	\$ 574,963	\$ 15,403	\$ 9,733	\$ 1,608,813		

{1} For BGS purposes the RT rate class includes the RS and GS rate class Off-Peak (OPWH) and Controlled Water Heating (CTWH) provisions. The RT rate class also includes the summer billing month RGT rate class usage. OPWH and CTWH is billed on the average RT rates, while RT and Summer RGT use is billed at on-peak and off-peak rates.

{2} For BGS purposes the RS rate class excludes the Off-Peak and Controlled Water Heating provisions and includes the winter billing month RGT rate class usage

{3} For BGS purposes the GS rate class excludes the Off-Peak and Controlled Water Heating provisions

{4} The GS and GST units exclude the units associated with the 500 kW and above PLS accounts that will be required to take service under BGS-CIEP



**Jersey Central Power & Light  
Attachment 2**

**Table #C3 Post Transition Year 22 Costs w/o Transmission**      **Size of Tranches = 20**  
in \$1,000's

Total Costs by Rate - in \$1000	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs	\$ 162		\$ 153,106		\$ 2,577	
JCP&L On pk	\$ 2,422			\$ 2,000		
JCP&L Off pk	\$ 2,276			\$ 1,758		
Block 1 (0-600 kWh/m)		\$ 150,429				
Block 2 (>600 kWh/m)		\$ 150,142				
Winter - all hrs	\$ 421	\$ 455,046	\$ 277,330		\$ 5,649	
JCP&L On pk	\$ 4,255			\$ 3,701		
JCP&L Off pk	\$ 5,774			\$ 4,213		
<b>Total Costs - in \$1000</b>						
Summer	\$ 4,860	\$ 300,572	\$ 153,106	\$ 3,757	\$ 2,577	\$ 464,873
Winter	\$ 10,450	\$ 455,046	\$ 277,330	\$ 7,914	\$ 5,649	\$ 756,389
<b>Total</b>	\$ 15,310	\$ 755,617	\$ 430,436	\$ 11,672	\$ 8,227	\$ 1,221,262

**Table #C4 Composite (Tranche Weighted) Costs w/o Transmission**  
in \$1,000's

Total Costs by Rate - in \$1000	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs	\$ 184		\$ 174,318		\$ 2,779	
JCP&L On pk	\$ 2,955			\$ 2,419		
JCP&L Off pk	\$ 2,364			\$ 1,826		
Block 1 (0-600 kWh/m)		\$ 171,747				
Block 2 (>600 kWh/m)		\$ 169,144				
Winter - all hrs	\$ 453	\$ 496,072	\$ 301,945		\$ 5,761	
JCP&L On pk	\$ 5,107			\$ 4,406		
JCP&L Off pk	\$ 5,674			\$ 4,116		
<b>Total Costs - in \$1000</b>						
Summer	\$ 5,502	\$ 340,891	\$ 174,318	\$ 4,245	\$ 2,779	\$ 527,736
Winter	\$ 11,234	\$ 496,072	\$ 301,945	\$ 8,522	\$ 5,761	\$ 823,535
<b>Total</b>	\$ 16,736	\$ 836,963	\$ 476,264	\$ 12,768	\$ 8,540	\$ 1,351,271

**Jersey Central Power & Light  
Attachment 2**

**Table #C5**

**Units @ Customer**

*Forecasted 2023 kWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL	
Summer - all hrs	2,152,066		2,026,419,000			39,017,000
JCP&L On pk	26,015,580			22,890,524		
JCP&L Off pk	36,279,354			27,966,476		
Block 1 (0-600 kWh/m)		2,081,168,000				
Block 2 (>600 kWh/m)		1,855,137,000				
Winter - all hrs	5,274,005	5,527,172,000	3,504,499,000			78,032,000
JCP&L On pk	45,240,474			43,702,026		
JCP&L Off pk	80,331,521			58,644,975		
Summer Total	64,447,000	3,936,305,000	2,026,419,000	50,857,000		39,017,000
Winter Total	130,846,000	5,527,172,000	3,504,499,000	102,347,000		78,032,000
Annual Total	195,293,000	9,463,477,000	5,530,918,000	153,204,000		117,049,000
						<b>Total</b>
						6,117,045,000
						9,342,896,000
						15,459,941,000

**Table #C6**

**Summary of BGS Unit Costs @ customer**

**NON-DEMAND RATES**

*includes Energy, Generation obligations, and Ancillary Services - adjusted to billing time periods in \$/MWh*

	RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs	\$ 85.38		\$ 85.44		\$ 71.22
JCP&L On pk	\$ 112.81			\$ 105.69	
JCP&L Off pk	\$ 64.71			\$ 65.29	
Block 1 (0-600 kWh/m)		\$ 81.96			
Block 2 (>600 kWh/m)		\$ 90.55			
Winter - all hrs	\$ 85.86	\$ 89.14	\$ 85.58		\$ 73.83
JCP&L On pk	\$ 112.11			\$ 100.82	
JCP&L Off pk	\$ 70.15			\$ 70.19	
Annual -all hrs	\$ 85.11	\$ 87.84	\$ 85.53	\$ 83.34	\$ 72.96

**DEMAND RATES**

*includes Energy and Ancillary Services, Generation Obligations charged separately - adjusted to billing time periods in \$/MWh*

**JCP&L does not have a demand component in its BGS charges**

**ALL RATES**

Grand Total Cost in \$1000 = \$ 1,351,271

All-In Average costs @ bulk system = \$ 78.18 per MWh at bulk system (per bulk system metered MWh)

All-In Average costs @ transmission nodes = \$ 78.93 per MWh at transmission nodes (per transmission nodes metered MWh)

**Jersey Central Power & Light  
Attachment 2**

**Table #C7** Ratio of BGS Unit Costs @ customer to All-In Average Cost @ transmission nodes (rounded to 3 decimal places)

**NON-DEMAND RATES**

*includes Energy, Generation Obligations, and Ancillary Services - adjusted to billing time period:*

		RT{1}	RS{2}	GS{3}	GST {4}	OL/SL
Summer - all hrs		1.082	1.090	1.083		0.902
	JCP&L On pk	1.429			1.339	
	JCP&L Off pk	0.820			0.827	
	Constant for Block 1 (0-600 kWh/m) usage (Excl. SUT)		(4.078)			
	Constant for Block 2 (>600 kWh/m) usage (Excl. SUT)		4.574			
Winter - all hrs		1.088	1.129	1.084		0.935
	JCP&L On pk	1.420			1.277	
	JCP&L Off pk	0.889			0.889	
Annual - all hrs		1.078	1.113	1.084	1.056	0.924

**Jersey Central Power & Light**  
**Attachment 3 - Page 1 of 3**  
**Development of Capacity Proxy Price True-Up \$/MWh**  
**and Calculation of Composite BGS-RSCP Price**

**Table A - 2024/2025 Delivery Year**

	2024/2025 Delivery Year for Winning Suppliers from 2022 BGS- RSCP Auction	2024/2025 Delivery Year for Winning Suppliers from 2023 BGS- RSCP Auction	
1 Zonal Capacity Price (\$/MW-day) - JCPL Zone	\$54.50	\$54.50	Notes: PJM RPM BRA for delivery year 2024/2025 as illustration. Will be updated with Final PJM RPM
2 Capacity Proxy Price (\$/MW-day)	<u>\$87.98</u>	<u>\$66.38</u>	BGS Order Docket No. ER21030631 dated Nov. 17, 2021 and ER22030127 dated Nov. 9, 2022
3 Capacity Proxy Price True-Up - \$/MW-day	-\$33.48	-\$11.88	Line 1 - Line2
4 Total BGS-RSCP Gen Obl - MW	4,739.5	4,739.5	Table #10 of the 2024 BGS Auction Cost and Bid Factor Tables
5 Days in BGS Delivery Year	365	365	
6 Capacity Proxy Price True-Up Annual Cost	-\$57,917,950	-\$20,551,531	= line 3 * line 4 * line 5
7 Eligible Tranches	18	15	
8 Total Tranches	53	53	
9 % of tranches eligible for Payment	34.0%	28.3%	= line 7 / line 8
10 Capacity Proxy Price True-Up Cost	-\$19,670,247	-\$5,816,471	= line 6 * line 9
11 Total Applicable Customer Usage @ transmission nodes - in MWh	17,120,885	17,120,885	Table #14 * Table #6 from 2024 BGS Auction Cost and Bid Factor Tables
12 Eligible customer Usage @ transmission nodes - in MWh	5,814,640	4,845,533	= line 9 * line 11
13 Capacity Proxy Price True-Up - \$/MWh	-\$3.38	-\$1.20	= line 10 / line 12 (rounded to 2 decimal places)

NJ Sales and Use Tax (SUT) excluded

**Calculation of Composite BGS-RSCP Price**  
**June 1, 2024 through May 31, 2025**

	BGS Post Transition Year 20	BGS Post Transition Year 21	BGS Post Transition Year 22	Total BGS-RSCP Cost
	2022 Auction	2023 Auction	2024 Auction	
	1 Year Term Remaining	2 Year Term Remaining	3 Year Term	
Final Auction Price - in \$/MWh	\$77.50	\$94.28	\$93.08	
Capacity Proxy Price True Up in \$/MWh	(\$3.38)	(\$1.20)		
	\$74.12	\$93.08	\$93.08	
<u>Total # of Tranches</u>				
Size of Tranches	18	15	20	
Total # of Tranches	53	53	53	
<u>Seasonal Factors</u>				
Summer	1.0000	1.0000	1.0000	
Winter	1.0000	1.0000	1.0000	
<u>Applicable Customer Usage</u> @ transmission node				
Summer MWh	6,774,232	6,774,232	6,774,232	6,774,232
Winter MWh	10,346,653	10,346,653	10,346,653	10,346,653
<u>All-in BGS-RSCP Cost</u>				
Summer	\$170,526,592	\$178,456,278	\$237,941,704	\$586,924,573
Winter	\$260,454,539	\$272,565,980	\$363,421,306	\$896,441,825
Total	\$430,981,131	\$451,022,257	\$601,363,010	\$1,483,366,398

Composite Bid Price

**\$86.64** Rounded to 2 decimals

**Jersey Central Power & Light**  
**Attachment 3 - Page 2 of 3**  
**Development of Capacity Proxy Price True-Up \$/MWh**  
**and Calculation of Composite BGS-RSCP Price**

**Table A - 2025/2026 Delivery Year - Illustrative Only**

	2025/2026 Delivery Year for Winning Suppliers from 2023 BGS- RSCP Auction*	2025/2026 Delivery Year for Winning Suppliers from 2024 BGS-RSCP Auction*	Notes:
1 <u>Zonal Capacity Price (\$/MW-day) - JCP&amp;L Zone</u>	\$50.00	\$50.00	Illustrative Only
2 <u>Capacity Proxy Price (\$/MW-day)</u>	\$44.63	\$47.46	BGS Order Docket No. ER22030127 dated Nov. 9, 2022 and ER23030124, dated Nov. 17, 2023
3 <u>Capacity Proxy Price True-Up - \$/MW-day</u>	\$5.37	\$2.54	Line 1 - Line2
4 <u>Total BGS-RSCP Gen Obl - MW</u>	4,739.5	4,739.5	Table #10 of the 2024 BGS Auction Cost and Bid Factor
5 <u>Days in BGS Delivery Year</u>	365	365	
6 <u>Capacity Proxy Price True-Up Annual Cost</u>	\$9,289,707	\$4,394,014	= line 3 * line 4 * line 5
7 <u>Eligible Tranches</u>	15	20	
8 <u>Total Tranches</u>	53	53	
9 <u>% of tranches eligible for Payment</u>	28.3%	37.7%	= line 7/ line 8
10 <u>Capacity Proxy Price True-Up Cost</u>	\$2,629,162	\$1,658,119	= line 6 * line 9
11 <u>Total Applicable Customer Usage @ transmission nodes - in MWh</u>	17,120,885	17,120,885	Table #14 * Table #6 from 2024 BGS Auction Cost and Bid Factor Tables
12 <u>Eligible customer Usage @ transmission nodes - in MWh</u>	4,845,533	6,460,711	= line 9 * line 11
13 <u>Capacity Proxy Price True-Up - \$/MWh</u>	\$0.54	\$0.26	= line 10 / line 12 (rounded to 2 decimal places)

NJ Sales and Use Tax (SUT) excluded

**Calculation of Composite BGS-RSCP Price**  
**June 1, 2025 through May 31, 2026 - Illustrative Only**

	BGS Post Transition Year 21	BGS Post Transition Year 22	BGS Post Transition Year 23	Total BGS-RSCP Cost
	<i>2023 Auction</i>	<i>2024 Auction</i>	<i>2025 Auction</i>	
	1 Year Term Remaining	2 Year Term Remaining	3 Year Term	
Final Auction Price - in \$/MWh	\$94.28	\$93.08	\$93.34	
<u>Capacity Proxy Price True Up in \$/MWh</u>	<u>\$0.54</u>	<u>\$0.26</u>	<u>\$0.00</u>	
	\$94.82	\$93.34	\$93.34	
<u>Total # of Tranches</u>				
Size of Tranches	15	20	18	
Total # of Tranches	53	53	53	
<u>Seasonal Factors</u>				
Summer	1.0000	1.0000	1.0000	
Winter	1.0000	1.0000	1.0000	
<u>Applicable Customer Usage @ transmission node</u>				
Summer MWh	6,774,232	6,774,232	6,774,232	6,774,232
Winter MWh	10,346,653	10,346,653	10,346,653	10,346,653
<u>All-in BGS-RSCP Cost</u>				
Summer	\$181,792,267	\$238,606,345	\$214,745,711	\$635,144,323
Winter	\$277,661,218	\$364,436,449	\$327,992,804	\$970,090,472
Total	\$459,453,486	\$603,042,795	\$542,738,515	\$1,605,234,795

Composite Bid Price

**\$93.76** Rounded to 2 decimals

**Jersey Central Power & Light**  
**Attachment 3 - Page 3 of 3**  
**Development of Capacity Proxy Price True-Up \$/MWh**  
**and Calculation of Composite BGS-RSCP Price**

**Table A - 2026/2027 Delivery Year - Illustrative Only**

	<b>2026/2027 Delivery Year for Winning Suppliers from 2024 BGS- RSCP Auction*</b>	Notes:
1 Zonal Capacity Price (\$/MW-day) - JCPL Zone	\$50.00	Illustrative Only
2 <u>Capacity Proxy Price (\$/MW-day)</u>	<u>\$49.05</u>	BGS Order Docket No. ER23030124 dated Nov. 17, 2023
3 Capacity Proxy Price True-Up - \$/MW-day	\$0.95	Line 1 - Line2
4 Total BGS-RSCP Gen Obl - MW	4,739.5	Table #10 of the 2024 BGS Auction Cost and Bid Factor
5 Days in BGS Delivery Year	365	
6 Capacity Proxy Price True-Up Annual Cost	\$1,643,430	= line 3 * line 4 * line 5
7 Eligible Tranches	20	
8 Total Tranches	53	
9 % of tranches eligible for Payment	37.7%	= line 7/ line 8
10 Capacity Proxy Price True-Up Cost	\$620,162	= line 6 * line 9
11 Total Applicable Customer Usage @ transmission nodes - in MWh	17,120,885	Table #14 * Table #6 from 2024 BGS Auction Cost and Bid Factor Tables
12 Eligible customer Usage @ transmission nodes - in MWh	6,460,711	= line 9 * line 11
13 Capacity Proxy Price True-Up - \$/MWh	\$0.10	= line 10 / line 12 (rounded to 2 decimal places)

NJ Sales and Use Tax (SUT) excluded

**Calculation of Composite BGS-RSCP Price**  
**June 1, 2026 through May 31, 2027 - Illustrative Only**

	<b>BGS Post Transition Year 22</b>	<b>BGS Post Transition Year 23</b>	<b>BGS Post Transition Year 24</b>	<b>Total BGS-RSCP Cost</b>
	<i>2024 Auction</i>	<i>2025 Auction</i>	<i>2026 Auction</i>	
	1 Year Term Remaining	2 Year Term Remaining	3 Year Term	
Final Auction Price - in \$/MWh	\$93.08	\$93.18	\$93.18	
<u>Capacity Proxy Price True Up in \$/MWh</u>	<u>\$0.10</u>			
	\$93.18	\$93.18	\$93.18	
<u>Total # of Tranches</u>				
Size of Tranches	20	18	15	
Total # of Tranches	53	53	53	
<u>Seasonal Factors</u>				
Summer	1.0000	1.0000	1.0000	
Winter	1.0000	1.0000	1.0000	
<u>Applicable Customer Usage @ transmission node</u>				
Summer MWh	6,774,232	6,774,232	6,774,232	6,774,232
Winter MWh	10,346,653	10,346,653	10,346,653	10,346,653
<u>All-in BGS-RSCP Cost</u>				
Summer	\$238,197,335	\$214,377,602	\$178,648,001	\$631,222,938
Winter	\$363,811,746	\$327,430,571	\$272,858,809	\$964,101,127
Total	\$602,009,081	\$541,808,173	\$451,506,811	\$1,595,324,064

Composite Bid Price

**\$93.18** Rounded to 2 decimals

## Derivation of BGS Capacity Cost (\$/kWh) for BGS CIEP DCFC Accounts

Appendix A

### List of Current DCFC Accounts \*

Site ID	Service Start Date	Connected Load (kW)	Capacity Obligation (kW)	Rolling 12 Month Total Billed Usage (kWh)	Eligibility June 1, 2024 to May 2025
1	11/5/2019	350	54.0	234,474	RSCP
2	7/1/2021	600	103.7	439,518	RSCP
3	7/2/2019	640	424.7	1,140,864	RSCP
4	2/11/2019	450	358.1	1,331,772	RSCP
5	1/18/2019	800	209.5	1,077,949	RSCP
6	7/29/2019	800	157.4	824,786	RSCP
7	10/6/2021	231	107.4	312,109	RSCP
8	4/30/2021	797	188.6	496,322	RSCP
9	6/17/2020	447	179.3	704,637	RSCP
10	11/13/2015	774	254.1	1,327,164	RSCP
11	9/17/2019	N/A	120.9	754,709	RSCP
12	4/29/2019	640	150.8	579,118	RSCP
13	10/6/2021	550	88.8	595,400	RSCP
14	3/17/2023	1,500	4.0	103,800	RSCP
15	7/22/2020	750	808.8	1,922,000	CIEP
16	11/18/2020	874	95.7	333,000	RSCP
17	3/21/2022	640	52.7	252,800	RSCP
18	12/17/2021	900	<u>17.7</u>	<u>316,200</u>	RSCP
			2,567.3	12,746,622	

a.	<b>Total PLS as of June 1, 2024 (kW)</b>	<b>2,567</b>	Illustration only with data effective June 1, 2023, will be updated for June 1, 2024
b.	<b>Capacity PLS to Obligation Factor June 1, 2024 to May 31, 2025</b>	<b>1.19494</b>	Illustration only with data effective June 1, 2023, will be updated for June 1, 2024
c. = a x b	<b>Total Capacity Obligation (kW) June 1, 2024</b>	<b>3,067.82</b>	
d.	<b>Capacity Price Effective June 1, 2024 to May 31, 2025 (\$/kW - Day)</b>	<b>\$0.29804</b>	Illustration only with data effective June 1, 2023, will be updated for June 1, 2024
e. = c x d *365	<b>Total Capacity Cost, net of SUT</b>	<b>\$333,732</b>	
f.	<b>Forecast kWh usage from most recent 12 months</b>	<b>12,746,622</b>	Illustration through June 2023, will be updated with most recent 12 months usage available
g. = e / f	<b>Capacity Price in \$/kWh</b>	<b>0.026182</b>	
h. = g*1.06625	<b>Capacity Price in \$/kWh, including SUT</b>	<b>0.027917</b>	

\* EV Driven Program Semi-Annual Report, September 2023, BPU Docket Nos. EO21030630 and ER22030127